

LEE RELOADING CATALOG 2023

THE CULMINATION OF NEARLY 40 YEARS OF PROGRESSIVE PRESS DESIGN AND PRODUCTION

— PAGE 25 —

SIX PACK PRO







leeprecision.com

LEE LOADER

\mathbf{T}	41	5	Í	H	
LEE	PRE	CISIO	οN,	INC.	

2-3	Lee Loader Reloading Basics
4	Reloading Stand Bench Plate
5	Modern Reloading II
6-7	Pistol Reloading Dies Carbide Factory Crimp Dies
8	Pistol Dies Size Chart
9	Spline Drive Lock Rings Shellholders
10	Rifle Die Selection
11	Rifle Factory Cimp Dies
12-13	Rifle PaceSetter Dies Rifle Collet Ultimate Die Sets
14-15	Rifle Dies Size Chart
16-17	Reloading Press Overview Single Stage and Progressive
18	Breech Lock Reloader Breech Lock Hand Press & Kit Ram Prime Breech Lock Ram Prime
19	Breech Lock Challenger Press 50th Anniversary Kit Breech Lock Challenger Kit Bench Prime Press Kit
20	Classic Cast Press 50 BMG Press Kit
21	Classic Turret Press and Kit
22	Value Turret Press and Kit
23	PRO 1000
24	PRO 4000
25	SIX PACK PRO
26	The APP Deluxe APP KIT
27	The APP Accessories
28	Quick Trim Dies Case Trim Tools
29	Quick Trim & Case Length Gauge Charts Bulge Buster Kit
30	Auto Bench Prime
31	Auto-Prime Priming Tool Kits Shellholders
32	Deluxe Perfect Powder Measure Perfect Powder Measure Safety Scale Powder Funnel Powder Measure Kit
33	Pro Auto Disk Powder Measure Auto Drum Powder Measure
34	Electric Melters
35	Lubrication and Sizing
36	Rifle Bullet Molds
37	Pistol Bullet Molds
38	Black Powder Bullet Molds
39	Slug Molds Buckshot Molds Load-All II
	LEE PRECISION, INC. 4275 HIGHWAY U

4275 HIGHWAY U HARTFORD WI 53027



The kit that started it all, The Classic Lee Loader

‡ Calibers requiring considerable force for sizing.

Classic Lee Loader

More shooters have chosen the famous Lee Loader for their first reloading tool than any other. They realize it is all they need for good, accurate ammunition. In fact, at one time ammunition loaded with a Lee Loader held a world record listed in the Guinness Book of World Records for more than seven years. Millions upon millions of rounds have been reloaded with the famous Lee Loader. It's the perfect tool for those who wish to simply try reloading, because it will pay for itself in just an hour or two. Find out for yourself how much fun it is to reload with the Lee Loader. Everything you need to begin loading one caliber! Use to reload cases that have been fired from your gun.

LEE LOADER 46.98

LEE LOADER S	ZES
223 Remington	90232
243 Winchester	90235
270 Winchester	90240
7.62x54 Russian	90243
30/30 Win (30 Rem).	90244
308 Winchester	90245
30/06 Springfield	90248
303 British	90247
45/70 Government	90264
9mm Luger	90254
38 Special	90257
357 Magnum	90258
‡44 Magnum	90260
‡45 ACP	90262
‡45 Colt	90263

Ν

PRIME

SIZE

REMOVING spent primer HANDGUN and **RESIZING** case can be accomplished by using any reloading **Breech Lock Challenger Press** pg 19 **Pistol Sizing Die**



Rifle Full Length

Sizing Die

LUBRICATE an

inspected, clean

NOTICE

how the

is sized

case neck

as case is

withdrawn

from die

over the







your gun only







ELOADING IS AN ENJOYABLE HOBBY, saves you money - and no manufacturer saves you more than Lee Precision, Inc. Our mission is simple: produce the best American made value in reloading tools. Our great prices come from patented, innovative designs. We are thankful to say that Lee Precision products are cast, machined and assembled in the USA.

A reloading press and a set of Lee Dies are all you need to start reloading. Lee Dies come complete with powder dipper, shell holder and instructions, along with comprehensive load data that tells you how much and what type of powder to use. Dies and presses last a lifetime, so buying what your budget allows makes the most sense. For those with a workbench, consider our Lee Bench Plate for the ultimate convenience in mounting your presses. If you don't have a workbench, consider the Lee Reloading Stand, compact and very sturdy. If you have no loading equipment and are just getting started, you must consider that these basic steps need to be taken below.

Check out our complete line of reloading and casting equipment on our website, then visit your local merchant. If not blessed with a local dealer, one of the many online dealers will quickly and economically fill your order.

N

CHARGE



SEAT & CRIMP





CHARGE



SEAT



CRIMP

case, pg 7



pg 11



Lee Reloading Stand

At last, a reloading stand built just for your reloading needs. The sturdy powder coated steel stand places your press at the perfect counter stool or standing height. Three-leg design assures absolute stability regardless of the floor condition. Rubber tipped legs suitable for any surface.

The thick steel top is fitted with the patented, quick change Lee Bench Plate System with steel base block

to fit all Lee metallic presses.

The stand also includes a sturdy steel shelf with two bench plate receivers that will neatly and securely store your extra presses or mountable accessories.

Each leg has eight mounting holes that allow you to accessorize your stand with a multitude of bins, shelves or accessory racks.

Dimensions 39" high x 26" wide x 24" deep



ACCESSORIES





Die Rack

Sturdy steel rack with fasteners designed for the Lee Reloading stand. Conveniently holds your dies at the ready, especially helpful when loading small batches of ammo with frequent die changes. Can also be wall or bench mounted.

90680 20.00



Bin and Bracket

Sturdy steel bracket and parts bin. Includes fasteners to allow direct mounting to the Lee Reloading stand, or workbench. Perfect for holding bullets, cases and loaded rounds.

90687 14.00



Steel Base Block

Rigid, powder coated steel construction.
First choice for mounting all current Lee Presses.
Works with the Lee Reloading Stand and Bench Plate.
Fasteners for mounting one Lee reloading press are included.

90267 17.00

JUST REMOVE

CONCRETE BLOCK NOT INCLUDED

AND REPLACE



Patented design allows instant press change. So sturdy you can resize the monster 50 BMG case, then quickly switch to a smaller press for priming or other operations. Trapezoidal base block slides into perfect register and made immoveable with the quick tightening of four bolts.

LEE BENCH PLATE



Includes steel base block with holes to mount any Lee press. Powder coated, thick steel plate mounts quickly and securely to any bench or tabletop. Wide steel plate distributes load, adding rigidity to the lightest bench top.

Lee Bench Plate 90251

39.00





MODERN RELOADING

SECOND EDITION BY RICHARD LEE

LEARN TO RELOAD AMMUNITION THAT'S MORE ACCURATE THAN FACTORY NEW ON YOUR FIRST TRY

THE SECOND EDITION OF MODERN RELOADING IS A SUMMARY OF A LIFETIME OF EXPERIENCE. NO MATTER HOW KNOWLEDGEABLE YOU ARE, YOU WILL FIND NEW AND INTERESTING INFORMATION IN THIS BOOK. IT IS A REFERENCE BOOK YOU WILL KEEP FOREVER.

OVER 38,000 LOADS covering over 170 cartridges in a new, larger, easier to read format, with velocities for starting loads. This is the best kind of load data — it is supplied by the powder companies.

LOAD DATA SORTED in velocity decending order.

DIPPER, AUTO DISK DATA included for easy setup.

NEW, LARGER, EASIER TO READ FORMAT

with computer rendered and dimensioned drawings. Cartridges tabbed for quick reference.


LATEST INFORMATION ON PRESSURE

EXCLUSIVE PRESSURE AND VELOCITY FACTORS


enable you to accurately calculate pressure and velocity for reduced loads. An absolute necessity for cast bullet shooting.

A NEVER BEFORE PUBLISHED in depth analyses of current load data. It gives you insight into the effects of reducing or increasing a charge.

MODERN RELOADING SECOND EDITION 90277 40.98



Contains everything about reloading, with the world's most comprehensive load data, over 38,000 loads





										POWDER BU	RNIN	IG RATE CHART		СН	APTER
										A NITRO100					
							ш			VEC BA10	1 2		2	2 AR2208	-
_										v-N310	2		2	2 VEC 507	- 7
										WIN AA LITE	2		2		4
										TITEWAD	3		2		4
HON	MAGI	MUR								R COMPETITION	3	ALNT 410	2		4
	TING	OAL	15 :							WSUPER-TAR	4		2		4
				-	×2174		MIN		FACTOR	CLAYS		ACCUR 4100	24		- 4
VEC	ME AUTO DOK	15 V	ESCITY OF	VER VE	95	MESS UNITS	800	VIDEBY	P002555332	VEC TUZZOO	5	H LIL GUN	25		4
,	- Lock			-	d Rull					BULLSEYE	5	SR4759	25		4
		115	Grain J		a Ball		3,200	9870	.9641	HP38	7	R ENFORCED	25		4
4.3	NA B	4.30			320 !	59500 PSI		1989	9000	RAM ZIP	7	v-N110	25		4
4.5		4.30	3089		281	59006 PSI	3,200			WIN 231	7	ALNT 300 MP	25		4
3.9	NA I	3.70	2071	3.5 3		58123 PSI	3.200	.9853	.9756	SQL0 1000	8	H110	26		48
4.7			2090	97 3	257	59358 PSI	3.200	.9869	.9716	ALNT F3		WIN 296	26		41
		3.70				43800 PSI	3.200	.9833	.9702	IMR 700x	8	H4227	26		49
3.8	r NA					et				ACCUR #2	9	IMR4227	27	v-N540	49
		120		ackete						RED DOT	9	AR2205	27	RELODER 17	50
47	D 1500095	2.20	3021			56430 PSI				TITEGROUP	9	ACCUID 5744	27	IMR4350	50
4.2		4.20				59600 PS	3.230	.5867	.9683	MS200	9	ACCUR 5744 ACCUR 1680	28		50
4.2					3325	59500 PS	3.260			WIN AA PLUS	9	ACCOR 1680	29	Y-N150	50
		4.00			2200	18290 PS				IMR TRAIL BOSS	10	v-N120	29	NORMA 2038	50
4.0					3278	seson PS		.984	.5543	WIN SUPER HANDI	10	V-N120	30	NORMA 204	50
4.3		4.30				59475 PS				ROYAL SCOT	12	H4198	31	WIN 760	50
4.0		4.00			3261			98.0	9635	AMER-SELECT	12	IMR4198	31	WIN 572	50
4.5	33 250000	2.20	3044		3261	59100 PS				INTERNATIONAL	12	AR2207	31	ACCUR 4350	51
A	SE NA	4.30	3050		3251	59000 PS				v-N320	12	VECTU2000	31	H4350	51
-	71 250009	2.20	3195	68.5	3236	59358 PS				WSUPER-LIT	12	NORMA 200	31	NORMA URP	51
		5 2 20	3040	F8 2	3231	58500 PS	3.23	.985	5 .9692	GREEN DOT	12	ACCUR 2200	31	v-N550	52
		4.30	3106		3226	58771 PS	3.23			ASSO	13	RELODER 7	32	HYBRID100	53
			2021	57.0	3218	59210 P		.384	3 .9707	RSILHOUETTE	13	H322	32	RHUNTER	51
3.		3.70			3215	57800 P				IMR PB	14	ACCUR 2015	33	v-N160	54
- 4	20 NA	4.00	2829	63.0		57800 P			2 9215	R TRUE BLUF	14	ALNT AR-COMP	34	ACCUR 3100	55
- 4	no NA	4.00	3062	53.2	3212					WIN ACTION PI	14	BENCHMARK	34	ALNT 4000 MR	99
3	a3 Na	2.70	3049	57.9	3139	58700 P.	3.22	5 .58	4 .2704	ACCUR #5		IMR3031	35	RELODER19	55
-	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	13	Grain	Jacke	ted Bs	llet				w.N330	15	ACCUR 22 to	35	H450	55
-				70.0	2314	NA P	A 321	5		UNIQUE	17	RELODER 10	36	H4831	55
	29 NA		2956		3270		A 3.2			UNIVERSAL	17	X-TERMINATOR	36	IMR4831	55
7 4	.23 NA		2916	69.0			A 32			SR7625		NORMA 201	36	AR2213	55
9 2	.89 NA	3.70	2903	63.5	3255				2 9695	VEC RAS	17	v-N130	36	H-SUPRFORM	56
0 4	71 25000	PS 2.20	2343	70.0	3159	59300 P				MR 4451	17	ACCUR 2460	37	v-N560	56
	.14 N	4.00	2531	62.5	3157	59000 F			57 .9682	OWER PISTOL		VEC SP10		NORMA 217	57
			2776	67.8	3155	55000 F	\$1 3.2			FE PISTOL	18	BL-C(2)	38	SUPRM780	57
				64.0	3131	59300 F	gl 3.1			IS6	18	CFE 223	39	WIN MAG RIFLE	57
				66.3	2125	59800 0	GI 3.1	35 .56		4P200	18	H-LVD	39	RELODER22	58
				61.0	3122		SI 3.1	% .98	59 .9997	EC AO	18	v.N139	39	VEC TU8000	59
	4.15 N					58400				N340		V-N133 WIN 748	39	V-N165	59
8 .	4.13 N			62.0	310B	18433	'SI 3.1		79 9669	UTOCOMP	18	ACCUR 2495	39	IMR7828	50
0	421 N	A 40	2953	61.5	3082	59592			12 .2002	DLO 1500	19	ALNT VARMINT	40	NORMA MRP	60
	3.90 N	A 3.7	2385	61.0	3064	57950				FRCO	19	RELODER12	40	ACC MAG PRO	61
	4.57 N		2552	66.0	3051	58883			e	IR SOOX	19	H33¢	40	IMR 7977	62
	4.5/ N			55.0	3149	NA.	NA 3.			4756		IMR 8208 YRD	40	H1000	62
				55.4	3048	59600	PSI 3.	35 .9	.9618	C SP8	19	AR2204	40	RAM MAGNUM	62
		A 3.7		54.0	2998	52950		85		1N37	19	RAM TAC	40	RELODER 25	63
.0	3.73 N	A 3.7	0 2877				- v.	_		UPER FLD	19	VEC SP9	40	HRETUMBO	63
		1	g Grain	Jack	eted E					CUR #7	19	NORMA 202	40	ACCUR 8700	64
	458 190	none P.	n 2721	68.0	3092	58200				UE DOT		H4895	40	v-N170	64
		0095 Z.I		R1.0	3028			70		1350	20	ACCUR 25204	41	H870	65
9	4.06									NGSHOT	20	H-VARGET	42	H 50 BMG	66
			40 Grai	n Jack	eted E					IANT STEEL		IMR489s	42	HO US869	66
.3	4.40	SA 4.	n 2952	73.7	3220	60300				MAN STEEL	22	minans2	42		00
29		VA 4		71.5	3173	NA.									
		NA 4		67.3		NA.	NA 3	268				111			
9.3				64.0		60300	PSI 3	240				224			
5.8									867 .967						
	4.14	NA 4	00 2895 30 297				201 3		877 .967						
0		NA 4													



SELECTING THE BEST HANDGUN DIE SET

Lee handgun dies feature a carbide sizing die — simply the best way to resize straight walled handgun cartridges

Select the **DELUXE PISTOL 4-DIE SET OR BREECH LOCK 4-DIE SET** when using mixed range brass. The Deluxe Set includes the Carbide Factory crimp die. This die allows you to separate bullet seating from the crimping operation. It makes setup much easier and the die has the added feature of a carbide resizer that does a finishing sizing pass on the completed round. This final sizing guarantees that any case that passes through the die will freely and reliably chamber in any gun.

The **CARBIDE & STEEL THREE DIE SETS** work fine when using a quality controlled source of brass, like cases fired only in your gun. More care is required when adjusting the bullet seat and crimp die, as seating and crimping occur simultaneously. Bullet diameter control is important when not using the factory crimp.

Lee Dies reload cartridges better, easier, more accurately and with fewer problems!



CARBIDE FACTORY CRIMP DIE

Carbide ring in base resizes any portion of case that exceeds factory new dimensions. Floating crimp ring is finger adjustable to provide the perfect crimp.

HARDENED STEEL SHELLHOLDER

Others charge \$17.00 for this item!

Exclusive feature to Lee
POWDER MEASURE

& CHARGE TABLE

Exclusive feature to Lee

POWDER THROUGH EXPANDING DIE

Only Lee Dies permit charging the case while expanding the case mouth. Every Lee Pistol Die Set includes this

Powder Through Expanding Die at no extra cost. The powder funnel adapter can be replaced with a Lee case actuated Powder Measure (pg. 33) for fully automatic powder charging while the case mouth is being expanded.



ONLY LEE DIES COME COMPLETE WITH POWDER MEASURE and CHARGE TABLE



Exclusive feature to Lee CONTOUR GROUND CARBIDE SIZING DIE

Carbide Sizer

All Lee straight walled pistol dies have tungsten carbide sizer rings. Carbide is so hard that it can only be ground and polished with diamond wheels.

This hard diamond polished surface eliminates the need for case lubrication—they never wear out. Exclusive contour grind sizes closer to the rim than any other brand

The collet held decapper is nearly unbreakable even if misadjusted or depriming crimped military cases.

The decapper clamp collet accurately centers the decapper in the die. Should you over stress it for any reason, it harmlessly slides up without breaking. Easily reset with no limit to the times it can be reset.

BULLET SEAT & FEED DIE

Bullet Seat and Feed Die

Universal free floating seating plug works with nearly any point style bullet. No need to change seater plugs for different nose types. Finger adjustable seating depth eliminates fumbling with pliers, lock nuts and screwdrivers to make simple seating depth adjustment.

PISTOL DIE SETS

LEE DELUXE PISTOL 4-DIE SET

78.00

CARBIDE FULL LENGTH SIZING DIE, POWDER THROUGH EXPANDING DIE, BULLET SEAT AND FEED DIE AND CARBIDE FACTORY CRIMP DIE.

BEST VALUE FOR BREECH LOCK PRESSES

85.00 LEE BREECH LOCK CARBIDE 4-DIE SET

COLOR CODED SMART LOCK BUSHINGS FOR NO TOOL DIE ADJUSTMENT, CARBIDE FULL LENGTH SIZING DIE, POWDER THROUGH EXPANDING DIE, BULLET SEAT AND FEED DIE AND CARBIDE FACTORY CRIMP DIE.

Combines the world's most popular carbide three-die set with the Lee Carbide Factory Crimp Die at a great price. No other die set at any price produces more reliable or accurate ammo.

By separating seating and crimping operations, you benefit by greatly simplified adjustment. More importantly, the Carbide Factory Crimp Die post sizes your case, assuring any round that passes through the die will chamber properly in your gun. This, plus all the other exclusive features - make this the best die set money can buy!

LEE CARBIDE PISTOL 3-DIE SET

56.98

CARBIDE FULL LENGTH SIZING DIE, POWDER THROUGH EXPANDING DIE AND BULLET SEAT & FEED DIE.

BEST VALUE FOR BREECH LOCK PRESSES

LEE BREECH LOCK CARBIDE 3-DIE SET 65.00

COLOR CODED SMART LOCK BUSHINGS FOR NO TOOL DIE ADJUSTMENT, CARBIDE FULL LENGTH SIZING DIE POWDER THROUGH EXPANDING DIE, BULLET SEAT AND FEED DIE AND CARBIDE FACTORY CRIMP DIE.

We use a solid carbide insert, ground to a special contour that does not leave the objectional belt mark on the case, common to ordinary carbide dies. With a carbide sizer, no case lube is needed, and you don't even have to clean your cases.

NO NEED FOR A TAPER CRIMP DIE; BETTER ACCURACY WITH LEE DIES. Taper crimp dies are used to correct the problems caused by the improper expanding plug design or adjustment. They distort the bullet shank and reduce accuracy. Because the Lee Expander flares the minimum amount, consistent with easy bullet insertion, all of the flare is removed with the bullet seating die, thus eliminating the need for a taper crimp die.

LEE STEEL PISTOL 3-DIE SET

56.98

STEEL FULL LENGTH SIZING DIE, POWDER THROUGH EXPANDING DIE, BULLET SEAT AND FEED DIE, AND RESIZING LUBRICANT PACKET

Same features as our premium carbide sets, except the case must be lubricated.

STORAGE IS EASY

LEE DIES ARE PACKED IN A FITTED BOX THAT ALLOWS DIES TO BE RETURNED TO THE BOX ADJUSTED WITH OR WITHOUT THE LEE BREECH LOCK BUSHING



Short Bottle Neck Collet Style **Factory Crimp Die**

Incorporates a collet to apply a rifle type crimp to the case. Makes these very difficult to crimp cartridges a delight to reload. Bullets do not need a crimp groove, as the collet is so powerful it will form one.

BOTTLE NECK PISTOL FACTORY CRIMP DIE

25.00


Taper Crimp Die


The Lee Taper Crimp Die is hardened steel. designed to overcome crimp problems caused by poor die design. These

dies offer little or no advantage when used with 1986 or newer Lee Dies. Jacketed bullets must have a crimp groove

TAPER CRIMP DIE

Collet Style Factory Crimp Die





COLLET STYLE CRIMP DIE 15.98

FACTORY CRIMP DIE Lee Carbide Factory Crimp Die

CARBIDE

A CARBIDE SIZER SIZES THE cartridge while being crimped, so every round will positively chamber freely with factory like dependability. The adjusting screw quickly and easily sets the desired amount of crimp. It



is impossible to buckle the case as with a conventional bullet seating die. Trim length is not critical so this extra operation takes less time than it would if cases were trimmed and chamfered.

Revolver dies roll crimp with no limit as to the amount. A perfect taper crimp is applied to auto-loader rounds. The crimper cannot be misadjusted to make a case mouth too small to properly head-space. A firm crimp is essential for

dependable and accurate ammunition—it eliminates the problems of poor ignition of slow burning magnum powders.

CARBIDE FACTORY CRIMP DIE 28.98

22 TCM

30 Luger

9mm Makarov 9mm Luge

30 Super Carry

38 Super & 38 ACP

40 S&W & 10mm Auto

45 ACP · 45 Auto Rim · 45 GAP · 45 Win M

357 Sig

380 Auto

38 Special

357 Magnum

41 Magnum

44 Special

44 Magnum

44 Russian

400 CorBon

454 Casull

460 S&W

500 S&W

455 Web Mark II

45 Colt

30 M1 Carbine · 32/20

30 Tokarev & 30 Mauser

32 ACP · 32 S&W Long

32 H&R Mag · 327 Federal



CRIMP STYLE	CARBIDE FACTORY CRIMP DIE	SHORT BOTTLE NEC COLLET STYLE FACTORY CRIMP DIE	COLLET STYLE FACTORY CRIMP DIE	TAPER CRIMP DIE
	N/A	90725	N/A	N/A
	N/A	90087	N/A	N/A
	N/A	N/A	90421	N/A
	N/A	90175	N/A	N/A
	N/A	90086	N/A	N/A
ROLL	90067	N/A	N/A	N/A
TAPER	90807	N/A	N/A	N/A
TAPER	90860	N/A	N/A	9078
TAPER	91890	N/A	N/A	N/A
	N/A	90076	N/A	N/A
TAPER	90866	N/A	N/A	9078
TAPER	90867	N/A	N/A	9078
ROLL	90861	N/A	N/A	9078
ROLL	90861	N/A	90813	9078
TAPER	90862	N/A	N/A	9078
ROLL	90416	N/A	N/A	N/A
ROLL	90863	N/A	N/A	9078
ROLL	90863	N/A	90930	9078
ROLL	90863	N/A	N/A	N/A
ROLL	90865	N/A	90302	9078
TAPER	90864	N/A	N/A	9078
	N/A	90173	N/A	N/A
	N/A	N/A	N/A	9078
ROLL	90865	N/A	N/A	9078

FOR HANDGUN AMMUNITION THAT MUST WORK
5.7x28 FN

<u>K</u>	CRIMP S	CARBIDE FA CRIMP DIE	SHORT BOTI COLLET STY FACTORY CR	COLLET STY FACTORY CR	TAPER CRIM
		N/A	90725	N/A	N/A
		N/A	90087	N/A	N/A
		N/A	N/A	90421	N/A
		N/A	90175	N/A	N/A
		N/A	90086	N/A	N/A
	ROLL	90067	N/A	N/A	N/A
	TAPER	90807	N/A	N/A	N/A
	TAPER	90860	N/A	N/A	90780
	TAPER	91890	N/A	N/A	N/A
		N/A	90076	N/A	N/A
	TAPER	90866	N/A	N/A	90780
	TAPER	90867	N/A	N/A	90780
	ROLL	90861	N/A	N/A	90781
	ROLL	90861	N/A	90813	90781
	TAPER	90862	N/A	N/A	90782
	ROLL	90416	N/A	N/A	N/A
	ROLL	90863	N/A	N/A	90784
	ROLL	90863	N/A	90930	90784
	ROLL	90863	N/A	N/A	N/A
	ROLL	90865	N/A	90302	90786
lag	TAPER	90864	N/A	N/A	90785
		N/A	90173	N/A	N/A
		N/A	N/A	N/A	90785
	ROLL	90865	N/A	N/A	90786
		N/A	N/A	90926	N/A
		N/A	N/A	90931	N/A





HOLDER

22 TCM [2-Die Set]

5.7 x 28 [2-Die Set]

NEW 4.6 x 30 [2-Die Set]

30 M1 Carbine

25 ACE

30 Luger

30 Mausei

NEW 30 Super Carry

7.62 Tokarev

32 S & W Long 1

32 H & R Mag /327 Federal

32 ACP

32/20

38/40

NEW 9 x 21

9mm Makarov

38 Short / Long Colf

38 Super / 38 ACP

38 Special / 357 Magnum 2

40 S & W / 10mm Auto

44 Special / 44 Magnum

429 Desert Eagle

9mm Luger

357 Sig

380 Auto

38 S & W

41 Mag

44 Russian

44/40

45 Colt

45 ACE

45 Auto Rim

45 Schofield

400 Cor Bon

45 Win Mag

454 Casull

460 S & W

480 Ruger #

45 Gap

455 Web Mark II

32 S & W

included where shown The price of Lee Dies include a FREE SHELL HOLDER of the proper size. Some manufacturers charge \$17.00 extra for this necessary part

	1 P 7		2
DELUXE PISTOL 4-DIE SET P 7	BREECH LOCK CARBIDE 4-DIE SET P7	CARBIDE 3-DIE SET P 7	

78.00

91888*

90964▼

90965▼ 91937

90966▼ 91938

85.00

56.98

90626\$

90514#

90516 91881

90509 91882

P 7
SET
3-DIE
ш
K CARBID
-00K C
_
REECH

65.00

56.98

91986*

91891*

90430*

POWDER THROUGH EXPANDING DIE Р7 SIZING DIE ONLY STEEL 3-DIE SET

29.98

15.98

N/A

N/A

▼Includes load data for magnum cases

13.98

| P 7 FACTORY CRIMP DIE *TAPER CRIMP DIE*

STYLE CRIMP DIE

CASE LENGTH GAUGE

8.00

‡ can be used to load the 475 Linebaugh

90421 90135

15.98

COLLET

| P 28-29

28 98

P 7

P 9

5.98

UNIVERSAL SHELLHOLDER

4.98

#can be used to load the 454 Casull

-53 P 28-

DIE BODY

PRIMING TOOL SHELLHOLDER **QUICK TRIM**

20 NN

HAVE A BREECH LOCK PRESS? Breech lock bushings fit all Lee Breech Lock presses. Allows

instant, accurate die changes.



Spline Drive



SMART LOCK BUSHINGS Standard on Breech Lock Die Sets. No tool die adjustments

COLOR CODED FOR QUICK,

POSITIVE DIE SELECTION

91933 4-Pk 27.00



906002-Pk **16.00**



Bushings Breech lock quick change bushing with integral lock collar provides unmatched precision and convenience



when adjusting dies.

Split clamp positively

locks die into position.



500 S&W Mag Can be used to load magnum cases Can be used to load maximum cases *These dies do not include load data

50 Action Express

♦ 30 M-1 Carbine \$14.00 extra

LEE ULTIMATE **SPLINE DRIVE LOCK RINGS**

when using older style presses that require screwing your dies in and out for every operation. The new split clamp spline drive makes all other lock rings obsolete and clumsy to use.

are the perfect choice

The socket head cross bolt, even when lightly tightened, applies a vise-like

grip on your dies. No tiny set screws that easily strip or damage your die threads.

We added the famous Lee "O" ring because, no matter how securely you have the lock ring clamped to the die, it will loosen in the press frame during operation without the friction of the "O" ring. The "O" ring allows you to finger tighten into your press and will never loosen during operation. Kit includes a wrench for easy die removal.

ULTIMATE LOCK RINGS



90566 3 pack with wrench 13.98 91640 4 pack color coded. 17.98 Lock ring wrench sold separately

LOCK RING WRENCH

3.98

A handy, compact wrench makes the new lock rings a delight to use. Spline

drive lock rings are now standard equipment on all Lee dies. Update older Lee Dies or competitor's dies.

NOW STANDARD ON ALL LEE DIES

SPLINE DRIVE LOCK RINGS (3-PACK)

90534 5.98

These lock rings are perfect for presses equipped with removeable die heads found on older progressive and our turret presses. Smallest outside diameter lock rings available. Captive friction "O" ring provides immovable die position with just finger tightening. Handy, no tool required for die adjustment.





Round Die Box lets vou store dies installed in 3-hole turret.

Lee Die Boxes



Perfect storage for dies. Made from tough, durable plastic.

SINGLE DIE BOX	90616	2.98
ROUND DIE BOX	90535	7.50
FLAT 2-DIE BOX	91931	3.98
FLAT 3-DIE BOX	90791	4.98
FLAT 4-DIF BOX	90422	6 98



BIG GUN INSPIRED BREECH LOCK QUICK CHANGE **LEE SINGLE STATION PRESSES**

Switch dies with a $\frac{1}{6}$ turn rather than fourteen or more turns. Loading with a breech lock equipped press is as convenient as a Turret Press, when loading small quantities of ammunition. Interrupted three-start thread assures dies will return and lock into the exact same position. If cost is more important than convenience, you can leave the Breech Lock bushing locked in the press and screw dies in and out like a conventional press.



Breech Lock Bushings

Lock presses. Allows instant, accurate die changes

Breech lock bushings fit all Lee Breech

Change dies instantly with a twist of the wrist

Spline Drive Bushings

Breech lock quick change bushing with integral lock collar provides unmatched precision and convenience when adjusting dies. Split clamp positively locks die into position.

90063 2-Pk 16.00

Buv more for greater savings

















SMART LOCK BUSHINGS Standard on Breech Lock Die Sets. No tool die adjustments.

91933 4-Pk **27.00**

COLOR CODED FOR QUICK POSITIVE DIE SELECTION



90600

2-Pk. 16.00

Decapping Die

An absolute must for those who clean cases before reloading. No cleaning or lubing needed when using this die. Tough, almost unbreakable decapper easily removes crimped in primers. Fits cases up to .560" in diameter; up to 3.125" long.

Decapping Die

90292 15.98 91976 15.98

Undersize Flash Hole Decapping Die

REPLACEMENT DECAPPER UNGUIDED 90783 3.00 UNDERSIZE FLASH HOLE 91893 3.00 GUIDED 5.00

For smooth operation and less decapper bending or breaking, order caliber specific guided decapper

91574 17 CAL-204 RUGER 91580 30 CAL 91576 22 CAL 91581 34-35 CAL 91577 6mm-25 CAL 91583 40 CAL 91578 27 CAL -7mm 91584 45 CAL



Gently flares the case mouth to accept cast bullets without shaving. Works great to prevent damaging the moly and low friction coatings found on today's high performance jacketed bullets. Includes neck plugs for .22 cal through .45 cal. Works on everything from the 22 Hornet to the largest Ultra Mag. Costs so little and works so well you can't afford to be without one.

90798 18.00



Lee Bulge Buster Kit

Utilize all your brass by removing annoying bulge rings



BULGE BUSTER KIT shown mounted to 9

Breech Lock Reloader Press (90045) Sold separately, pg. 18

Assure your mixed brass is bulge free with the Bulge Buster Kit and appropriate Lee Carbide Factory Crimp Die. This push through die adapter will quickly remove the annoying bulge rings that shell holder constrained dies simply can't reach. The Bulge Buster Kit includes extension sleeve, push through punch. catch container and complete instructions. And it's fast - you can reprocess your cases as quickly as you can handle them. CARBIDE FACTORY CRIMP DIES. SEE PAGE 7

Bulge Buster Kit 90487 19.98

WITH THE LEE FACTORY CRIMP DIE THE BULGE BUSTER WILL REPAIR ALL THESE RIMLESS CASES

90867	380 ACP	90864	45 ACP
90862	10 mm	90864	45 GAP
90862	40 S&W	90864	45 Win
90416	41 AE	Mag	

Catch Container





LEE OFFERS THE MOST COMPLETE DIE SETS



FREE SHELL HOLDER
SOME CHARGE OVER \$17.00 FOR THIS NECESSARY PART

FREE COMPREHENSIVE LOAD DATA PRICELESS ON SOME CARTRIDGES

FREE POWDER DIPPER

EASIEST TO ADJUST DIES WITH FINGER TIGHTEN LOCK RINGS

BUILT-IN STUCK CASE REMOVER

CASE SIZING LUBRICANT

INCLUDED WITH PACESETTER & ULTIMATE DIE SETS

TIGHTEST TOLERANCE IN THE INDUSTRY

EXCLUSIVE FEATURE

PACESETTER AND ULTIMATE DIE SETS INCLUDE FACTORY CRIMP DIE; THIS DIE FIRMLY CRIMPS BULLET IN PLACE AND APPLIES A FACTORY-STYLE CRIMP



FACTORY CRIMP DIE



Lee Pacesetter, Breech Lock & **RGB Series Dies**

FOR PRODUCING FACTORY-DIMENSIONED AMMO THAT RELIABLY FITS AND FEEDS IN ANY GUN

First choice for semi-auto actions. Full-length sizing is a must if you are reloading for more than one firearm or reloading cases that were fired in other firearms. Pacesetter 3-die sets include the LEE FACTORY CRIMP DIE.



RGB DIES see page 12



CASE SIZING LUBRICANT

PACESETTER DIES page 12

......



COLLET NECKSIZING DIES see page 13

Lee Collet Necksizing Dies

For best accuracy, longest case life and no resizing lubricant required. Only the neck of the case is resized. The body is untouched—retains perfect fit to your gun's chamber. Cases should have been fired in your firearm only. Benchrest shooters' first choice; there is no other die that can produce a more accurate cartridge.

IF YOU INTEND TO RELOAD CASES FIRED IN OTHER GUNS OR YOU ARE RELOADING FOR MORE THAN ONE GUN,

SELECT THE

Lee Ultimate Rifle Die Set

The Ultimate Set includes a full length resizing die that allows you to restore any case to factory original dimensions so that you can fire form in your gun and then reload using the superior Collet neck sizing die. Ultimate Rifle Die Sets include the LEE FACTORY CRIMP DIE.



FACTORY CRIMP DIE



THE LEE FACTORY CRIMP DIE is the only effective way to crimp bottleneck rifle cartridges. Our Factory Crimp Die should be used on all loads used for hunting. Applying a factory crimp will always improve the utility of the cartridge, and in most cases, will also improve the accuracy.

The Lee Factory Crimp die crimps the bullet in place more firmly than any other tool. It is impossible to buckle the case as with regular roll crimp dies. Trim length is not critical. Tests demonstrate that even bullets which have no cannelure will shoot more accurately if crimped in place with the Lee Factory Crimp Die.

Factory ammunition is often more accurate and better able to withstand rough handling because the bullet is firmly crimped in place. A firm crimp improves accuracy because pressure must build to a higher level before the bullet begins to move. This higher start pressure insures a more uniform pressure curve and less velocity variation. Even powder selection is less critical. Until now, handloaders seated the bullet to touch the rifling to achieve similar results. This is not always possible nor desirable. The Lee Factory Crimp Die is included at no extra charge with Lee PaceSetter 3-Die Sets and Ultimate Rifle Die Sets. It's just another added value that only Lee Dies offer.

NO CRIMP GROOVE
REQUIRED —EVEN
WITH JACKETED
BULLETS

DEP

LEE FACTORY CRIMP DIE 15.98 VERY LTD. PRODUCTION LEE FACTORY CRIMP DIE 20.00

NOT PURCHASING LEE DIES? YOU'LL STILL NEED A SHELL HOLDER

MOST LEE RIFLE DIE SETS INCLUDE A FREE SHELL HOLDER. Others charge \$17.00 for this necessary part!

SHELL HOLDER	PRESSES 5.98
#1	90518
#2	90519
#3	90520
#4	90521
#5	90522
#6	90523
#7	90524
#8	90525
#9	90526
#10	90527
#11	90528
#12	90529
#13	90199
#14	90001
#15	90002
#16	90003
#17	91497
#18	91498
#19	90004
#20	91499
#21	90599
#22	91500
#23	91501
#24	91502
#25	91503

91993

SET OF SHELLHOLDERS Eleven of the most popular sizes fit over 115 different cartridges. Chart below included with each shell holder set. Additional cartridge listings on our website.



UNIVERSAL SHELL HOLDER SET 90197 47.00

# 1 · 2 · 3 · 4 · 5 · 7 · 8 · 9 · 10 · 11 · 19						Works with all brands of presses				
OLDE	R RIFLE	HOLDE	R RIFLE	HOLDER	RIFLE	HOLDE	R RIFLE	HOLDER	PISTOL	
20	17 Hornet	2	250 Savage	12	7.62mm x 39	2	35 Remington	7	32 ACP	
4	17 Remington	3	25/35	16	7.62x54 Russian	5	35 Winchester	4	32 Colt N.P.	
4	204 Ruger	4	25/45 Sharps	3	30 Herrett	2	35 Whelen	4	380 Auto	
4	22 TCM	2	257 Roberts	3	30/30 Win. (30 WCF)	5	350 Rem. Mag.	19	9mm LUGER	
20	22 Hornet	5	257 Weatherby	2	300 Savage	3	356 Winchester	1	38 S & W	
20	22 K Hornet	2	6mm Creedmoor	16	30/378	2	358 Winchester	_		
3	22 Savage	2	6.5mm Creedmoor	21	30 Remington	5	358 Norma Magnum	1	38 Colt N.P.	
2	22 BR	2	6.5mm 06	2	308 Win. (7.62 NATO)	3	375 Winchester	19	38 Super Auto	
6	218 Bee	2	6.5mm x 57	4	300 AAC Blackout	5	375 H & H	19	38 ACP	
12	22 PPC	3	6.5 x 55 Mauser	5	30/40 Krag (30 U.S.)	5	375 Weatherby	1	38 Short Colt	
3	219 Zipper	10	6.5 Jap	2	30/06 Springfield	5	375 Ultra Magnum	1	38 Long Colt	
10	220 Swift	5	6.5 Rem. Magnum	5	300 H & H	5	375 Ruger	1	38 Special · 357 Ma	
4	221 Fireball	2	6.5 Carcano	5	300 Weatherby	14	38/40 Win.	19	357 Sig	
4	222 Remington	12	6.5 Grendel	5	300 Win Magnum	3	38/55 Winchester		0	
4	222 Rem. Magnum	5	264 Win. Magnum	5	300 Ultra Magnum	8	40/82 Winchester	2	357 Auto Magnum	
4	223 (5.56mm)	5	26 Nosler	5	300 Win S Magnum	5	416 Remington	19	40 S&W · 10mm Au	
5	223 WSSM	21	6.8 SPC	5	308 Norma Magnum	25	416 Rigby	1	41 Long Colt	
2	224 Clark (22/257)	2	270 Winchester	5	303 British	18	43 Mauser	19	41 Action Express	
21	224 Valkyrie	5	270 Weatherby	2	7.7 Japanese	17	43 Spanish	9	41 Magnum	
10	225 Winchester	5	270 Win S Mag	3	32 Win. Spc'l	14	44/40	11	44 S&W Spl · 44 Ma	
2	22/250	2	280 Remington	3	32 Win. S.L.	11	444 Marlin	11	44 S & W Russian	
2	240 Weatherby	2	7mm/08	6	32/20 (32 W.C.F.)	8	45/70 Gov't	2	44 Auto Mag.	
2	243 Win.	2	7mm BR	3	32/40 Winchester	2	450 Bushmaster		_	
5	243 WSSM	4	7mm TCU	2	8 x 57 Mauser	5	458 Win. Magnum	2	45 Auto	
2	6mm Remington	3	7 x 30 Waters	2	8mm 06	HOLDER	PISTOL	11&14	45 Colt	
2	244 Remington	2 & 10	7 x 57mm Mauser	2	8mm Man. Schoe.	15	5.7 x 28	14	45 Schofield	
2	6mm Int'l	5	7 x 61 Sharpe & Hart	5	8mm Rem. Magnum	1	22 Rem. Jet	11	454 Casull	
2	6mm/284	5	7mm Rem. Magnum	17	8mm Lebel	15	25 ACP	14	460 S&W	
2	6mm/06	5	7mm Win S Mag	16	8x56R Hungarian	1	256 Win, Magnum	5	455 Weblev	
12	6 PPC	5	7mm Weatherby	8	33 Winchester	19	30 Luger	13	45 Auto Rim	
4	6 x 47 (6mm/222M)	5	7mm Ultra Mag	25	338 Lapua	19	30 Mauser	3		
2	25/284	2	284 Winchester	5	338 Win. Magnum	4	32 Short Colt	_	45 Win. Magnum	
5	25/303	3	7.5mm Schmidt-Rubin	5	338 Ultra Magnum	4	32 Long Colt	5&16	480 Ruger	
2	25/06	7	30 M 1 Carbine	5	340 Weatherby	4	32 S & W	5	475 Linebaugh	
6	25/20 Winchester	3	7.65x53 Arg. Mauser	8	348 Win.	4	32 S & W Long	16	500 S&W	



ERNAL FI

ALL LEE DIES ARE MACHINE HONED TO THE **SMOOTHEST POSSIBLE FINISH**

Don't confuse this with the surface polish that's used by most manufacturers. A polish simply makes a shiny surface. It's like trying to sand wood without backing under the sandpaper. The surface in Lee dies is progressively honed to a fine finish with no waves or ripples.

NCLUDES

FULL LENGTH SIZING DIE

BUILT IN STUCK CASE REMOVER

RESIZING LUBRICANT PACKET

EASY X EXPANDER

EASY ADJUST DEAD LENGTH BULLET SEATING DIE

FACTORY CRIMP DIE

SHELL HOLDER

POWDER DIPPER

LOAD DATA & INSTRUCTIONS



New LEE BREECH LOCK **PACESETTER 3-DIE SETS**

INCLUDES THE EXCLUSIVE LEE FACTORY CRIMP DIE



Lee PaceSetter™ 3-Die Set

THESE DIES ARE YOUR BEST BUY!

Lee PaceSetter 3-Die sets include the exclusive Lee Factory Crimp™ Die to produce factory-like ammunition with improved utility and accuracy. The die set also includes an easy adjust dead length bullet seater, shell holder, powder dipper, load data-and all are packed in the nicest storage box ever designed. The extras represent a \$32.00 value. Most are unavailable at any price from other suppliers.

BEST VALUE FOR BREECH LOCK PRESS OWNERS

LEE PACESETTER 3-DIE SET 46.98

LEE BREECH LOCK

PACESETTER 3-DIE SET

54.00

46.98

LEE PACESETTER 2-DIE SET

Same features as our PaceSetter 3-die set, just in very limited production. Does not include Factory crimp die; rather, a bullet seat and crimp die.

LEE RIFLE DIES EATURE THE LEE asy

EXPANDER



LEE



Lee Resizing Lubricant

ANOTHER FIRST BY LEE. We purchased the finest automotive deep draw lubricant and had it custom packaged exclusively for us. Lee lube is pleasant to handle and you can thin with water. Non-sticky, non-allergenic. Very little is needed; it goes a long way. Eliminates stuck and dented cases, and makes sizing less work.

2 OZ. TUBE 90006 5.98

REAT

RGB Dies Compare to other brands costing twice as much and you'll recognize what a fantastic bargain they are. We offer these only to show that when you buy Lee Dies - without all of the extras Lee

customers have come to expect — the price is significantly lower, yet the quality is the best. Our tolerance is 50% less than the advertised amount of a popular and expensive brand. We guarantee these dies to be better than any other brand. If for any reason you're not 100% satisfied-just return them to the factory with your sales slip and pay the difference of what you paid and the manufacturer's catalog list price of the dies you want. We will ship them to you with

These dies are a Really Great Buy. They cost less, because like other die makers, we left out \$32.00 worth of extras which are included in our PaceSetter™ dies. Do yourself a favor and check our PaceSetter dies.

RGB Series Dies only 30.98





GUARANTEED TO LOAD THE MOST ACCURATE AMMUNITION OR YOUR MONEY BACK

- NO LUBRICATION REQUIRED
- GUARANTEED ACCURACY
- EXTENDS CASE LIFE 10X
- FASTEST TO USE
- NO CLEANING OR LUBING REQUIRED

Lee Collet Dies

There is no loading system that will load more accurate ammunition than Lee Collet Dies. We guarantee it in writing with every set. No one but Lee has ever dared make a guarantee like this — *Smallest group size or your money back.* A collet squeezes the case neck against a precision mandrel for a perfect bullet fit with minimum run-out. No case lube is needed. Cases

last ten times longer, so the savings on only 35 cases will pay for the dies. Maximum accuracy is usually achieved by seating the bullet out far enough to touch or almost touch the rifling. This provides the shot start pressure normally supplied by the crimp. That's why a dead length bullet seater is included to complete the most accurate

reloading system ever made. These dies size only the neck to preserve the perfect fit of fire forming. Only reload cases that have been fired in your gun. Not recommended for autoloaders, slide or lever action guns. See list of sizes on pages 14-15.

Lee Collet Die for neck sizing 49.98

DIE SETS INCLUDE: COLLET NECK SIZING DIE, DEAD LENGTH BULLET SEATING DIE, SHELL HOLDER, POWDER DIPPER, CHARGE TABLE AND STORAGE BOX. MOST CALIBERS NOT LISTED CAN BE CUSTOM MADE. SEE WEB FOR DETAILS: leeprecision.com/custom-collet-necksizing-die-set.html

Lee Ultimate Rifle Die Set

Choose this die set for maximum versatility. The set features a full length-resizing die to return brass to factory new dimensions, perfect for reloading brass fired in other guns. The Collet Necksizing die is used on your fire formed brass giving you best possible accuracy. No case lube required and cases last almost forever. The Easy Adjust Dead Length Bullet seating die foolproofs the bullet seating adjustment, and assures perfect seating depth every time. The Factory Crimp Die provides a secure crimp on bullets with or without a crimp groove. In most cases, it helps accuracy by providing a uniform higher start pressure and gives the finished cartridge factory-like accuracy and dependability.

The set is complete with shell holder, powder measure and famous Lee load data featuring all common brands of powder organized in an easy to read logical format.

In addition to best accuracy, you get these benefits

NO CASE LUBRICATION REQUIRED WITH COLLET DIE

REDUCED OR ELIMINATES CASE TRIMMING

UNMATCHED SPEED AND CONVENIENCE

MINIMUM BULLET RUNOUT

MOST UNIFORM NECK TENSION

TEN TIMES INCREASED CASE LIFE

LEE ULTIMATE RIFLE DIE SET 74.00

INCLUDES COMPLETE COLLET DIE SET PLUS FACTORY CRIMP DIE, FULL LENGTH RESIZING DIE & RESIZING LUBRICANT SAMPLE.





Lee Collet Die
accuracy
contributes
to world record



While competing in a regularly sanctioned 1000 Yard Match on July 25th, 1993, Robert Frey established a new 1000 yard World Record. We're honored he used the **LEE COLLET DIE** to load his record setting ammunition.

World record breaker Robert Frey commented: "The Lee Collet Neck Sizing Die enables me to get top accuracy from my rifles (match and hunting). The design principle of sizing the case neck to a mandrel is unmatched for accuracy potential by any other dies. It is one of the best ways to make all of my rifles shoot their tightest groups."

LEE RIFLE DIES

BEST VALUE FOR BREECHLOCK PRESSES LEE PRECISION, INC.

/ <u>L</u>	EE RIFLE D				OR BREECH L	OCK PRESSES	7///							LEE PRECIS	SION, INC.
6	FREE SHELLHOLDER INCLUDED WHERE SHOWN The price of Lee Dies include a FREE	P 12	ER (DCK ER P12	ER (ER P 12 ON	P13	SET (: P 13	SIZE NDREL	: P11	зтн 28-29	L	101 ER P31	M P 28-29
	shell holder of the proper size. Some manufacturers charge \$17.00 extra for this necessary part.	RGB DIES	PACESETTER 3-DIE SET P12	BREECH LOCK PACESETTER 3-DIE SET P 12	PACESETTER 2-DIE SET P 12	PACESETTER VERY LTD. P 11 PRODUCTION	COLLET DIE SET P	ULTIMATE RIFLE DIE SET P 13	COLLET NECK Sizing die P13	.002 UNDERSIZE Collet Mandrel	FACTORY CRIMP DIE	CASE LENGTH GAUGE P 28-29	UNIVERSAL SHELLHOLDER P 11	PRIMING TOOL Shellholder	QUICK TRIM DIE BODY P 28-29
		30.98	46.98	54.00	46.98	51.98	49.98	74.00	29.98	5.00	15.98 — 20.00	8.00 — 13.00	5.98	4.98	16.00 — 20.00
	17 Hornet		90096								90605	N/A	91499	90020	90611
	17 Remington				90770		90804		91000		91571	N/A	90521	90204	90435
	204 Ruger		90417				90734		91001		90567	N/A	90521	90204	90439
	22 Hornet		90500				90705		91002		90829	90111	91499	90020	90354
	218 Bee		90753								90830	90225	90523	90206	91350
	221 Fireball		90549								90829	90112	90521	90204	91364
	222 Remington	90870	90501	04000			90706	00004	91003	00000	90816	90113	90521	90204	90340
	223 Remington	90871	90502	91932		90981~	90707 90707	90694	90954	90602	90817	90114	90521 90521	90204 90204	90179
	223 Ack. Imp. 25-45 Sharps					90981~	90707		90954	90602	90817 91107	90114	90521	90204	90179
	22/250	90872	90503	91948		30473	90708	90739	90955	90602	90818	90116	90519	90202	90284
	22/250 Ack. Imp.	00012	00000	010.0		90980~	90708	00100	90955	90602	90818	90116	90519	90202	90284
	220 Swift		90542				90702		91004		90831	90118	90527	90210	91370
	223 WSSM				90446							90673	90522	90205	91358
	243 Winchester	90873	90504	91949			90709	90556	90956	90007	90819	90119	90519	90202	90320
	6mm Creedmoor		90482				90759		91005	90007	91488	91340	90519	90202	90658
	6mm Rem /244 Rem		90540				90710		91006	90007	90832	90120	90519	90202	90434
/	243 WSSM				90990	0.1050					90187	90389	90522	90205	91341
¶ NEW			00750			91956					91957	00101	90519	90202	91979
	25/20 WCF 25/35		90750		90778						90833 91235	90121 91306	90523 90520	90206 90203	91385
	250 Savage/250-3000		90550		30110						90834	90122	90519	90202	91374
	257 Roberts		90551				90703		91007		90835	90123	90519	90202	91357
	257 Ack. Imp.					90988~	90703		91007		90835	90123	90519	90202	91357
	260 Remington		90298				90974		91008	90069	90977	90993	90519	90202	90399
	25/06 Rem		90536				90711		90957		90836	90124	90519	90202	90334
	25 WSSM				90413							90221	90522	90205	
	264 Win Mag				90774						91247	91308	90522	90205	
	26 Nosler		90081		00740						91163	91307	90522	90205	90637
	6.5 Carcano				90749						91229	90043	90519	90202	91353
	6.5 Japanese 6.5 x 55 Swedish Mauser	90874	90627		90730		90712		91009	90069	90837	91331 90126	90527 90520	90210 90203	90337
	6.5 Creedmoor	91556	91821	91920			30712	90939	91012	90069	90704	90814	90519	90202	90812
√ NEW	8.6 Blackout	91922*									91924	92001	90519	90202	91978
	6.5 PRC					90662					91492	91533	90522	90205	91348
	6.5/300 Win Short Mag					90985							90522	90205	
	6mm ARC					91562*~	91563*				91664		90529	90212	91665
	6.5 Grendel		90557				91606				90596	91278	90529	90212	90763
	6.8 Western					91750					91830		90522	90205	91761
	6.5 Weatherby RPM					91768					91822		90519	90202	91771
	270 Win Short Mag	00075	90572	01050			00740	00500	00050	00400	90962	90117	90522	90205	90393
	270 Winchester	90875	90505 90066	91950			90713	90593	90958	90496	90820 91487	90128 91339	90519 90599	90202 90031	90229 90868
	224 Valkyrie 6.8 Rem SPC		90427								90735	90189	90599	90031	90397
	7/30 Waters		90748								90838	91335	90520	90203	30337
	7 x 57 Mauser		90541				90714		91010	90631	90839	90130	90519	90202	90489
	7 x 64 Brenneke		90771								90821	90236	90527	90210	91386
	7mm/08		90537				90723		91011	90631	90840	90167	90519	90202	90343
	7mm Express/280 Rem		90552				90724		91013	90631	90841	90166	90519	90202	90412
	280 Ack. Imp.					90989~	90724		91013	90631	90841	90166	90519	90202	91375
	7mm Win Short Mag				90573						91271	90314	90522	90205	
	7mm Rem Mag	90876	90538	91951			90720	90679	91014	90631	90821	90131	90522	90205	90297
	7mm STW		90678								90869	91332	90522	90205	
	7mm Ultra Mag		90979		00777						90869	91333	90522	90205	04000
	284 Winchester				90777 90766						91249 91269	90129 91293	90519 90519	90202 90202	91362
	7.35 Carcano 7.5 x 55 Swiss		90767		30700		90186		91015	90480	90184	91293	90519	90202	90419
	7.5x54 French MAS		90246				00100		01010	00400	90184	90132	90520	90203	91359
	7.62 x 39 Russian	90877	90565				90701		91016		90827	90133	90529	90212	90345
	7.62 x 54 Russian		90731				91607				90842	90147	90003	90200	90342

^{*} THESE DIES DO NOT INCLUDE LOAD DATA

^{→ 3} DIE SET WITH FACTORY CRIMP DIE

ReLOA		6 2	3	BEST FOR BREECH	VALU ILOCK PRESS	E SES							FF	RIE	T F	ום	F5
			8												(///		
FRE SHELLHOLDE INCLUDE	NES P 12	SETTER SET P12	BREECH LOCK PACESETTER 3-DIE SET P 12	PACESETTER 2-DIE SET P12	PACESETTER VERY LTD. P 12 PRODUCTION	ET P 13	ULTIMATE RIFLE DIE SET	COLLET NECK SIZING DIE P 13	.002 UNDERSIZE Collet Mandrel	FACTORY Crimp die P 11	CASE LENGTH GAUGE P 28-29	UNIVERSAL SHELLHOLDER	PRIMING TOOL Shellholder P31	QUICK TRIM DIE BODY P 28–29	1¼ — 12 THREAD SERIES Factory crimp dies P 20	1% — 12 THREAD SERIES Collet dies P 20	1¼ — 12 THREAD SERIES DIES P 20
WHERE SHOW	RGB DIES	PACESETTE 3-DIE SET	BREE PACE 3-DIE	PACE 2-DIE	PACE VERY PROD	COLLET DIE SET	ULTIMATE RIFLE DIE (SIZIN	.002 U	FACT	CASE	UNIV	PRIMI	QUICI	1¼-12 Factor	1¼-12 COLLET	11/4 – 12 DIES P 2
	30.98	46.98	54.00	46.98	51.98	49.98	74.00	29.98	5.00	15.98 – 20.00	8.00 — 13.00	5.98	4.98	16.00 — 20.00	50.00	130.00	130.00
300 AAC Blackout		90575	91925			90772		91017		90590	90443	90521	90204	90689			
300 Ham'R					91564~	91608		91636		91276		90521	90204	91609			
30/40 Krag		90555								90843	90137	90522	90205	91354			
30/30 Win	90878	90506	91952			90716	90693	91018	90480	90822	90136	90520	90203	90249			
30/30 Ack. Imp.					90982~			91018		90822	90136	90520	90203	90249			
303 Savage		90756			00002	00.10		01010		90823	00200	90528	90211				
277 Sig Fury		00.00			91989*					91990		90519	90202				
308 Winchester	90879	90507	91953			90718	90695	90959	90480	90823	90139	90519	90202	90231			
300 Win Short Mag	00010	90942	02000			90185	00000	91019	90480	90331	90034	90522	90205	90484			
300 Savage		90545				00200		01010	00.00	90844	90138	90519	90202	91356			
30/06	90880	90508				90715	90736	90960	90480	90824	90140	90519	90202	90291			
338/06	30000	30300			90987	00710	30700	50500	50400	90849	30140	90519	90202	00201			
300 Win Mag	90881	90539	91954		50507	90722	90738	90961	90480	90825	90142	90522	90205	90441			
300 H & H	30001	90560	31334			90726	30730	91020	30400	90970	90141	90522	90205	90407			
6.5–300 Weatherby Mag		90300			90983	30720		91020		91493	30141	90522	90205	30407			
, ,		00550			90983	00707		91020		91493	90143		90205	00400			
300 Weatherby Mag		90558				90727		91020				90522		90408			
300 Ultra Mag		90698								90970	90141	90522	90205	91366			
7.65 Arg Mauser		90732								90846	90134	90520	90203	91382			
7.7 Jap		90733								90847	90115	90519	90202	91368			
25-303		90793						0.1001		91491		90522	90205				
303 British	90882	90547				90717		91021		90826	90144	90522	90205	90325			
32-40				90758						91239		90520	90203	91376			
32 Winchester Special				90757						91227	90491	90520	90203				
325 WSM				90923						91255	90222	90522	90205	91344			
8x56 R Hungarian				90925						91273	90589	90003	90200				
8x57 Mauser	90883	90544				90719		91022		90848	90148	90519		90347			
8mm Lebel				90768						91272		91497	N/A				
41 Swiss					90411*							90525	90208				
338 Winchester		90546				90721		91023		90849	90149	90522	90205	90391			
338 Ultra Mag				90927						91257	91314	90522	90205				
348 Winchester		90760								90857	91304	90525	90208	91360			
350 Rem Mag				90776						91233	91315	90522	90205	91377			
358 Winchester		90797								90904	91318	90519	90202				
35 Remington		90543				90728		91024		90828	90150	90519	90202	90403			
35 Whelen				90752						91241	90972	90519	90202	91355			
9.3 x 62 Mauser		90654								90610	91299	90519	90202	90614			
375 Ruger		90090								90609	91285	90522	90205	90613			
NEW 7mm PRC					92004					92006		90522	90205	92005			
300 PRC					90224					91494		90522	90205				
375 H & H		90559				90729		91025		90850	90164	90522	90205	90395			
416 Remington		90805								90906		90522	90205				
43 Mauser				90806								91498	N/A				
43 Spanish				90765								91497	N/A	91367			
32-20		90751‡	‡THESE D		CLUDE FACTOR	Y CRIMP DIE				90421	90146	90523		91365			
38-40		90761‡									91322		90272				
38-55	DIE	90762‡									90994	90520		91379			
375 Winchester	SETS	90563‡										90520					

350 Legend	90078				90445	91567	90521	90204	91561			
458 Socom			90409		90815	91290	90519	90202	N/A			
458 Win Mag	90800‡				90969	90971	90522	90205	91345			
			LA	RGE SERIES THREADED DIES	Use	with Clas	sic Cast	Press p.	20			
338 Lapua		90353		1½-12 to 1¼-12		90462	91503	91496		90745	90635	
416 Barrett* SHELLHOLDER NOT	T INCLUDED			DIE ADAPTER BUSHING			90903*					90252
404 Jeffery				Use these dies in competitor's press 91697 12.00						91985		
577/450 Martini-Henry*				3333	1		91500					90902
577 Snider*							91500					90929
50 BMG SHELLHOLDER NOT INCLU	UDED						90903			90953	90747	90515>
* THESE DIES DO NOT I	* THESE DIES DO NOT INCLUDE LOAD DATA *THESE DIES DO NOT INCLUDE LOAD DATA							>170.00 COM				

444 Marlin

450 Bushmaster

50 Beowulf

45/70 Government

45/70 LEVERevolution
WILL LOAD 45/70 GOVERNMENT. ORDER
FACTORY CRIMP DIE 90586 AND LOAD DATA CB2556

44/40

90564‡

90562‡

90561‡ 45/70 DIES DO NOT WORK ON HORNADY LEVERevolution CASES

91988*

90182

90296* -

61.98

WITH POWDER THROUGH EXPANDING

90854 90168 90001 90272 91369

91372

90458

90855 90151 90528 90211

90856 90152 90525 90208

91639 91287 90525 90208

91167 91325 90519 90202

91738 91292 90529 90212



RELOADING PRESSES LAST A LIFETIME.

so buying on what your budget allows makes the most sense. You'll never regret buying a value priced press - you'll always have a need for a simple press for miscellaneous jobs.

All Lee Presses feature compound toggle linkages. This permits full length sizing the largest magnum cases with ease. Many feature built-in spent primer catchers, tough powder paint coating and detailed instructions. Under normal use, all our presses will last a lifetime.

For those that simply want the best, you can't beat the "Classic Cast."



are de-primed and sized, charged, then bullets seated. This die changing process is sped up by the Lee Breech Lock Quick-Change System. Rifle case reloading is best accomplished on a single station press. For a beginner, a single station press in a kit is the best value.

Compatible cartridges

Rounds

All cartridges up to 460 Weatherby Mag

50

Breech Lock Challenger Press #90588 pg 19 \$117.00

Breech Lock Reloader Press #90045 pg. 18 \$ 67.98

Compatible cartridges

per hour

All cartridges up to 50 BMG Accepts both 7/8-14 Threaded Dies and Large Series Threaded Dies 11/4-12

50

Classic Cast Press # 90998 \$190.00 see more information on page 20 TURRET PRESSES offer single station simplicity with near progressive speed. No need to unscrew dies; the turret advances to the next station automatically. Four pulls of the lever and you have a completed round. Perfect for moderate production of handgun ammunition. Deactivate the Auto-Index feature and you can batch reload the longest rifle cartridges. Twist and exchange the turret, snap in a new shell holder, and you're ready to load your next cartridge.

Compatible cartridges

per hour

All cartridges up to 460 Weatherby Mag

250

Classic Turret Press #90064 pg 21 \$220.00

Value Turret Press # 90932 pg. 22 \$160.00

SINGLE STAGE PRESS KIT OPTIONS

IF YOU ARE JUST GETTING STARTED,
YOU'LL SAVE EVEN MORE MONEY BY PURCHASING A KIT



Breech Lock Challenger Kit #90030 page 19 \$259.00



50th Anniversary Kit #90050 page 19 \$229.00



Bench Prime Press Kit #91628 page 19 \$268.00

TURRET PRESS KIT OPTIONS

Classic **Turret Press**

\$380.00





\$260.00







2023 PRO 1000 Time proven design updated with rock solid tool head with Smart Lock quick change bushings. Improved tray fed primer feed, simple, reliable and safe with any brand primer. Simplified automatic indexing with no adjustments required. Add a bullet and pull the lever; other operations are automatic.

Includes 4 tube automatic case feeder, automatic primer feed, automatic powder measure and automatic indexing. No other press has all these features at this affordable price. The perfect press for the active shooter on a budget. Select this press if you have a good supply of quality fired cases.

Compatible cartridges	Rounds per hour
32 S&W Long to 223 Remington	500+
Pro 1000	
Full description pg 23 \$ 350.00	

PRO 4000 This 4 station progressive press allows reloading mixed range brass with ease. The user operated primer feed allows smooth uninterrupted operation when loading mixed and imperfect cases. The fourth station allows installation of the Lee Factory crimp die. This die "irons out" the defects and damage found in mixed range brass. If you have select components to reload, the extra station can be fitted with the New Inline bullet feeder. Push the primer trigger, pull the lever, and you're loading. Easy cartridge changeover with only die adjustments required.

·	
Compatible cartridges	Rounds per hour
32 S&W Long to 30/06	500+
Pro 4000 Kit Full description pg 24 \$ 355.00	
Auto Breech Lock Pro Press only # 90900 pg 24 \$ 210.00	

SIX PACK PRO Among the heaviest progressive presses made. Stroke and powerful linkage easily reload longer rifle cartridges. Six stations allow for any brand of die use; extra operations like post sizing are done in the standard progression. Works great with inline bullet feeders; extra stations allow seating and crimping to be separate operations. Simple, dependable automatic indexing never requires adjustment. New primer feed device built-in; takes just seconds to change primer size. Primer feed tray eliminates the danger and time-consuming process of filling primer tubes one at a time. With the Lee system— just dump, shake and go. Only one tool required to change shell plates (it's included!) Included loaded round catcher and attach bracket features storage positions for shell plate and die wrenches. Universal case feeder included with a gatling style magazine that works with most handgun cases and shorter rifle cases.

Compatible cartridges		Rounds per hour
32 S&W Long to Large M	agnum Rifles	500+
Six Pack Pro Kit Full description pg 25	\$ 500.00	
Pro 6000 Six Pack Reloa Press only # 91823 pg 25	_	



INCLUDES THE BREECH LOCK SYSTEM

An outstanding value. Exclusive balanced lever that can't drop down to pinch your fingers. Unlimited hand clearance that only a "C" frame can offer. Works equally well with the right or left hand. Even if you already own a press, an extra press is always useful for decapping, bullet seating or bullet sizing.

90045 67.98

Change dies instantly with a twist of the wrist



Breech Lock Bushings

Breech lock bushings fit all Lee Breech Lock presses. Allows instant, accurate die changes.

90600 2-Pk. 16.00



SPLINE DRIVE BUSHINGS

Breech lock quick change bushing with integral lock collar provides unmatched precision and convenience when adjusting dies. Split clamp positively locks die into position.

90063 2-Pk 16.00

Buy more for greater savings



90095 4-Pk 27.00



SMART LOCK BUSHINGS Standard on Breech Lock Die Sets No tool die adjustments needed.

91933 4-Pk **27.00**

COLOR CODED FOR QUICK, POSITIVE DIE SELECTION

Lee Breech Lock Hand Press

Features the Lee Breech Lock System. A full size hand held reloading press, yet the tool weighs only 13/4 pounds and costs so little you will want more than one. No matter how much equipment you have, it's great to have a portable hand press. No time is wasted mounting a tool to a work bench. When you're finished—just pack it away.





90685 73.00

Breech Lock Hand Press Kit

THE PERFECT PORTABLE RELOADING PRESS KIT

Begin reloading at once. No wasted time mounting to a work bench. Pack it all in the box when finished. Great for apartment dwellers or loading at the range. Dies sold separately.

KIT INCLUDES

BREECH LOCK HAND PRESS RAM PRIME POWDER FUNNEL CASE SIZING LUBE

90180 94.00



New, improved **Breech Lock Ram Prime**

Start priming in seconds, nothing to adjust.

Includes small and large priming assemblies, no tiny parts to fumble with or lose.

Effortless priming in the tightest pockets.

Uses any brand press shell holder.

Safe with all brands of primers.

Works in any Lee Breech Lock press or adapter.

91612 21.98





Lee Ram Prime

Primes on the press up-stroke for a more sensitive feel. Includes small and large priming assemblies; no tiny parts to fumble or lose. Fits all brands of presses. Use on old school presses, where you need to thread in dies.

90106 21.98

CHALLENGER PRESS | PRESS KITS



ReLOADING23

Breech Lock Challenger Press

The "O" frame press by design is the strongest and most popular style press by far. Large opening and long stroke handles the largest belted magnums with ease. The primer catcher is positive and routes the spent primers directly to the trash can. Priming is a dream with the LEE LEVER PRIME SYSTEM. Best of all, it includes the BREECH LOCK QUICK CHANGE DIE SYSTEM. Change dies instantly with a twist of the wrist: you'll never have to re-adjust your die.

Other features include all steel linkage with adjustable length lever. This same press would cost you more than twice as much from other manufacturers, and that's without all of the Challenger's features.

90588 117.00



Primer Arms



LARGE & SMALL SAFETY PRIME 90997 30.00

SEE DESCRIPTION PAGE 22



BENCH PRIME PRESS KIT

Featuring all the components of the 50th Anniversary Kit, but we've replaced the SAFETY PRIME with the AUTO BENCH PRIME, along with 3 of the most popular Auto-Prime shell holders which work with over 60 different cartridges. This kit is ideal for those who want to prime on the workbench. If you purchase all components separately—it's a \$294.78 value.

91628 268.00



50IH ANNIVERSARY KIT

A COMPLETE POWDER HANDLING SYSTEM with the most convenient and repeatable PERFECT POWDER MEASURE, plus the LEE SAFE-TY SCALE, the most sensitive, safest of all powder scales. Fill your cases with the POWDER FUNNEL.

Case Preparation tools include the LEE VALUE TRIM case trimmer to trim on your reloading press (order cartridge specific trim die separately on pg. 28), and a CUTTER & LOCK STUD to trim your cases. (Order cartridge specific case length gauge separately on pg. 28–29). The LEE CHAMFER TOOL chamfers the inside and outside of the case mouth, and a tube of premium SIZING LUBE is also included. A small and large PRIMER POCKET CLEANING TOOL completes the case preparation package.

But that's not all! You get the large and small SAFETY PRIME. Prime with push button convenience and is safe with all brands of primers. Never touch the primer from box to the case.

Purchased separately \$268.86 value 90050 229.00



BREECH LOCK CHALLENGER KIT

Features the same components as the 50th Anniversary Kit, but we have replaced the Safety Prime with the New Auto-Prime and a set of three of the most popular Auto-Prime shell holders. This kit is for those who prefer to prime off the press.

If purchased separately—a \$282.78 value.

90030 259.00

HAVE AN OLD SCHOOL PRESS AND THREAD
DIES INTO REMOVABLE, THREADED ADAPTER?
MODERNIZE YOUR PRESS WITH THE
BREECH LOCK SYSTEM

90512 1½-12 **16.00** 90094 1½-12 **17.00**



PRESS NOW INCLUDES BREECH LOCK ADAPTER

Gives you the ability to quick change dies or remove the adapter to load the mammoth 50 BMG

BAKED POWDER FINISH AND ALL STEEL LINKAGE MAKE THE LEE CLASSIC CAST PRESS THE MOST ATTRACTIVE AND DURABLE PRESS MADE

RIGID CAST IRON FRAME, CASTAND MACHINED WITH PRIDE IN THE USA

LEE CLASSIC CAST PRESS 90998 250.00

The industry's largest opening, and longest stroke—handle adjusts to provide least travel of any press.

Largest ram, 11/8" diameter, supported by over 12 square inches of ram bearing surface.

Spent primer disposal direct to trash can with attached tube.

Powerful compound linkage with positive travel stop prevents press toggle or "cam over."

Rigid cast iron construction in a classic
"O" design for maximum strength.

Baked powder coating is durable and
makes a handsome addition to any reloading bench.

Large, flat cored base with 3 mounting holes, mounts solid to any bench.

Automatic primer arms with bottom of stroke priming for best feel. Includes both large and small priming arms. No more fumbling with tiny guides and springs when changing primer size.









SPENT PRIMERS
COLLECTED AND
DROPPED INTO
FLEXIBLE PLASTIC
TUBE FOR EASY
EMPTYING.

Shown on optional Bench Plate, Order #90251

Designed to work with both standard %-14 and large series 14-12 dies. Included Breech Lock adapter to accept standard %-14 dies. Change

dies instantly with a quick twist of the wrist.

Two-piece ram allows installation of the mammoth 50 BMG shell holder or the shell holder insert for standard press shell holders. Shell holder insert can be rotated to allow primer installation on the right or left side.



50 BMG Loading Block

Block dimensions 9" x 8"
High impact, chemical resistant plastic
Holds 72 cases, can also be used to
store % – 14 die sets

Continuous flange surrounds tray for easy lifting.

90632 15.00



1½-12 to 1¼-12 Die Adapter Bushing

Use the Lee 50 BMG and other 1¼ series dies in competitor's 50 BMG large presses. 91697 12.00

CLASSIC CAST 50 BMG PRESS KIT

AT LAST, AN AFFORDABLE WAY TO RELOAD THE MONSTER 50BMG

KIT INCLUDES EVERYTHING YOU NEED TO START RELOADING THE 50

LEE CLASSIC CAST PRESS • 50 BMG 3-DIE SET SHELL HOLDER • RAM PRIME TOOL • AND TUBE OF CASE SIZING LUBE



LARGE SERIES RELOADING DIES

1¹/₄-12 Thread Series Factory Crimp Dies 50.00

90953 50 BMG 90745 338 Lapua 91985 404 Jeffery

1½-12 Thread Series Collet Dies 130.00

90747 50 BMG 90635 338 Lapua

11/4-12 Thread Series 130.00

90902 577/450 Martini-Henry *

90929 577 Snider * 90252 416 Barrett *

90515 50 BMG

*These dies do not include load data



50 BMG 3-Die Set 1¹/₄-12 Thread

90901 26.00



THE WORLD'S MOST POPULAR TURRET PRESS

Lee Classic Turret Press

The sturdy iron base shows its Classic Cast roots. The long stroke allows rifle cases over three inches long to be loaded using the automatic index. Deactivate the Auto-Index and cases over 4 inches can be loaded. The rigid cast iron frame supports the ram with over 12 square inches of area. The industry's largest ram is drilled completely through to dispose primers in an attached clear PVC tube. Every primer is caught - guaranteed.

Instant change turrets are the same as the famous Lee Turret Press. The Classic Turret uses the Lee Lever Prime System · LPS and the optional Lee Safety Prime tool makes priming on the press a delight. If you like to own the best, then treat yourself to the Lee Classic Turret. The finest reloading system made.

LEE CLASSIC TURRET PRESS 90064



Lee Safety Prime

Makes priming on the press a delight. Never touch the primers from box to shell. Primer flip tray features a CAD designed flipping surface that instantly rights the primers. Change primer size in seconds. Primers are dispensed with a satisfying click of the primer feed trigger. 30.00





POWDER MEASURE RISER FOR SAFETY PRIME 90041 See page 33





GET AN ADDITIONAL TURRET FOR YOUR LEE PRESSES **EXTRA TURRET, 4 HOLE** 90269 15.00

A MACHINE

This press has all the features of the awardwinning Turret Press with the quality touches that make this the finest, most convenient press to own. **The Classic Turret features** the solid steel linkage of the Lee Classic Cast. Your first stroke of the hardwood gripped lever will convince you this is one solid, silky smooth press!



AND DROPPED INTO FLEXIBLE PLASTIC TUBE FOR EASY EMPTYING.

CLASSIC TURRET PRESS KIT

THIS KIT AND A SET OF LEE DIES IS EVERYTHING YOU NEED TO BEGIN **RELOADING PISTOL AMMO.** The Classic Turret Press is fast and convenient when loading handgun cartridges, with rates in excess of 250 rounds per hour possible.

The kit includes the Auto-Drum powder measure and powder measure riser, perfect for all handgun and rifle cartridges. Large and Small Safety Prime are included making on press priming a delight! Instant Change Turret makes changing calibers a snap. Deactivate the auto-index, and batch load the longest and largest rifle cartridges.

Complementing your press kit are the case conditioning tools to prepare your brass for loading. Includes Cutter, Lock Stud, Chamfer Tool, small and large Primer Pocket Cleaner, and a tube of Lee case sizing lube. Complete it with the cartridge specific Case Length Gauge. Verify your loads with the included Lee Safety powder scale.

Completing the kit is Modern Reloading Second Edition, 2021 revision with all new load data covering over 170 cartridges with more than 38,000 loads. 90304 380.00

NOTE Rifle reloaders require SHORT or LONG CHARGING DIE | see page 33





VALUE TURRET PRESS

EQUIPPED WITH THE LEE LEVER PRIME SYSTEMTM

Proven design with compound leverage. No spring in this turret design. The turret is locked into a solid steel ring with big rifle bolt type lugs. Exclusive design puts the lugs on the circumference so there can be no tipping. The linkage is so powerful that the largest magnum cases are sized with ease. Effort required is so small that the usual heavy bench is not essential. The Lee Turret Press has built-in primer disposal tube and a comfortable roller handle. Even if you do not need all of these features, why pay more for anything less?

Power and strength to spare, plus unequalled convenience. The Lee Turret Press is suitable for loading all rifle and pistol cases, but really shines when loading large quantities of handgun ammunition. This is the most convenient press made. Only a true progressive press is faster. Includes the LEE LEVER PRIME SYSTEM with large and small primer arms. Works with the Lee Safety Prime.

4 HOLE TURRET PRESS w/Auto Index

90932

160.00



Lee Safety Prime

Makes priming on the press a delight. Never touch the primers from box to shell. Primer flip tray features a CAD designed flipping surface that instantly rights the primers. Change primer size in seconds. Primers are dispensed with a satisfying click of the primer feed trigger.

90997 30.00



POWDER MEASURE RISER FOR SAFETY PRIME 90041 See pg. 33



GET AN ADDITIONAL TURRET FOR YOUR LEE PRESSES EXTRA TURRET, 4 HOLE

15.00 90269

Lee Value Turret Press Kit

The Value Turret Press, along with the Auto-Drum Powder Measure, produces top quality pistol ammo in a hurry.

A finished round with a few pulls of the lever. Disconnect the Auto-Index and it's large enough to handle monster belted magnum rifle cases. When it's time to change calibers, simply lock in a new turret and begin reloading in seconds. In addition to the Turret Press and Auto Drum Powder Measure, the kit includes the Lee Safety Scale, unmatched for sensitivity, a primer pocket cleaner, cutter and lock stud to trim the cases and a chamfer tool to deburr cases after trimming. Complete the case conditioning tools with the cartridge specific Case Length Gauge (see page 28).

A set of Lee Dies is all that is required to complete this reloading outfit. And all of this at a price that will allow you to pay for your investment in a matter of hours.

VALUE TURRET PRESS KIT 90928 260.00

NOTE Rifle reloaders require SHORT or LONG CHARGING DIE | see pg 33





LEE PRO 1000

NTRODUCED IN 1984 AS THE WORLD'S FIRST AFFORDABLE PROGRESSIVE PRESS. Place a bullet and pull the lever; all other operations are automatic. Load singly or progressively, feeds powder and primers only if case is present.

Rock solid tool head with smart lock quick change bushings. Cartridge changeover in seconds. Automatic primer feed simple and reliable; safe with any brand

or size of primer.



Shown with optional Reloading Stand. Order #90688

32 S&W LONG AND 32 H&R MAG	90639
380 AUTO	90641
38 SPECIAL AND 357 MAGNUM	90636
38 AUTO AND 38 SUPER	90035
9MM LUGER	90640
40 S&W	90682
44 SPECIAL AND 44 MAGNUM	90634
45 ACP	90638
45 COLT	90643
223 INCLUDES SHORT CHARGING DIE. NOT AVAILABLE IN CARBIDE	90633

LEE PRO 1000 COMPLETE, READY TO RELOAD

350.00

PRO1000 POSITIVE INDEX

Built-in primer disposal tube

JIII	SHELL PLATES 20.00							
PRODUCT NO.	PLATE	CARTRIDGES						
90651	18	38 SPECIAL, 357 MAG, ETC.						
90652	2L	45 ACP, 45 GAP, ETC.						
90664	3L	45 WINCHESTER MAGNUM						
90653	48	222, 223, 300 ACC BLACKOUT 380 AUTO						
91833	4AS	32 S&W LONG, 32 H&R MAGNUM						
90976	6S	32/20, 25/20						
90655	78	30 M1 CARBINE, 32 AUTO						
90656	9L	41 MAGNUM						
90657	11L	44 SPECIAL, 44 MAGNUM, 45 COLT						
90666	12L	7.62X39, PPC, 220 RUSSIAN						
90665	13L	45 AUTO RIM						
90065	14L	38/40, 44/40, 45 COLT, 460 S&W						
90669	19	40 S&W, 10 MM AUTO, 9MM LUGER, 38 SUPER, 38 AUTO, 41 AE						

BULLET FEED KIT
COMPLETE FOR ONE BULLET DIAMETER AND RANGE OF LENGTH. TO CONVERT TO ANOTHER CALIBER OR BULLET LENGTH, SELECT APPROPRIATE FEED DIE AND FINGER & BULLET SEAT AND FEED DIE

40.00		17.50
FEED KITS COMPLETE	DESCRIPTION	FEED DIE AND FINGERS
90892	30 & 32 cal Bullets up to .60 long	90885
90893	9mm through .365 diameter up to .46 long	90886
90894	9mm through .365 diameter .46 to .60 long	90887
90895	9mm through .365 diameter .60 to .75 long	90888
90896	40 cal through .44 cal up to .65 long	90889
90897	40 cal through .44 cal .65 to .80 long	90890
90898	45 cal bullets .50 to .67 long	90891

Multi-Tube Adapter for Bullet Feed Kit

Four tube magazine keeps Lee Bullet Feeder fed with a continuous supply of bullets. Each tube holds approx. 25 bullets. Quickly and easily installed. Includes large and small adapters, four large and small feed tubes and cylinder, plate assembly.

90280 29.00

ACCESSORIES FOR PRO 1000 · PRO 4000 · SIX PACK PRO

UNIVERSAL **CASE FEED MAGAZINE**

90242 35.00

Automates case feeding process. Cartridge compatibility listing on leeprecision.com

EXTRA CASE FEEDER TUBES

7 Pk. 90661 12.98



PRIMER TRAY 2-PK 9.00 90606

CASE COLLATOR Fill all four tubes in

just 10 seconds. Works with handgun, .380 to 45 Colt. 90667 14.98



PR04000 KIT

ECOND-GENERATION progressive press priced less than many premium single station presses, the lowest priced four-station progressive available. It is also the easiest to use progressive press ever made. Everything included to begin reloading nothing else to buy.

All the features of the Pro 1000 with an added fourth station to allow factory crimping and post sizing.

Features a fixed tool head with guickchange bushings. The Safety Prime is safe with all brands of primers and makes on press priming fast and dependable. The ideal press for loading well used or mixed range brass. So easy to change you're going to enjoy using this press for simple case preparation, like depriming before tumble cleaning. Deactivate the auto index and it is the handiest single station press ever made.

LEE PRO 4000 KIT

ADJUST YOUR DIES AND BEGIN RELOADING

355.00

INCLUDES STORAGE RACK FOR TOOLS, AND HEX WRENCH FOR SHELL PLATE CHANGEOVER. OTHERS CHARGE NEARLY \$30 FOR THIS FEATURE. ERGONOMIC WOOD GRIP ROLLER HANDLE OTHERS CHARGE NEARLY \$50.00 FOR THIS FEATURE. BIN & BRACKET TO CATCH LOADED ROUNDS

45 ACP	91550
9mm LUGER	91555
38 SPECIAL AND 357 MAGNUM	91557
44 SPECIAL AND 44 MAGNUM	91558
223 REMINGTON	91551

Auto Breech Lock Pro Press 210 Large & Small Safety Prime Auto Drum Powder Measure 30 55 Shell Plate 25 Universal Case Feede 35 Reloading Dies 46 Color Coded Smart Lock Bushings

AUTO BREECH LOCK PRO PRESS ONLY #90900 210.00

\$442


AUTOMATICALLY ADVANCES CASES UP TO 25/16" LONGER CARTRIDGES CAN BE LOADED BY MANUALLY ADVANCING.

AUTOMATIC UNIVERSAL CASE FEED MAGAZINE

MODULAR CONSTRUCTION ALLOWS AS MUCH OR AS LITTLE AUTOMATION AS THE OPERATOR DESIRES WITH NO ADJUSTMENTS.

CARTRIDGE CHANGEOVER IN SECONDS, INCLUDING PRIMER ZE WITH NO ADJUSTMENTS. COLOR CODED SPLINE DRIVE QUICK CHANGE SMART LOCK BUSHINGS.

INCLUDES LARGE AND SMALL SAFETY PRIME AND PRIMING ARMS. ALLOWS SAFE DISPENSING OF ANY BRAND AND SIZE PRIMER.





Shown with optional gatling style magazine



INLINE BULLET FEEDER

ALL STEEL CONSTRUCTION featuring a ball bearing escapement mechanism. Spring loaded positive ball carrier return assures reliable operation. Jacketed, cast, powder coated and copper plated bullets are reliably fed. Configurable for long and short bullet lengths. Includes bracket for the optional multi tube feed magazine. Works in any press with standard 7/8-14 threads.

Each die is caliber specific so there is nothing to change or adjust. Easy adjustment, place a case in your press and screw the Inline die in until it drops a bullet plus a half a turn, and that's it.





SIX PACK PRO

ULTIMATE FLEXIBILIT AND PROGRESSIVE SPEED

HEAVY DUTY STEEL CONSTRUCTION, stroke and clearance sufficient for the largest magnum rifle cases. Indexing is simple and reliable, cases fed and primed automatically with no primer brand restriction. Carrier features easy-to-set case retainers at every station. All dies securely fastened in the upper die carrier with the quick change LEE BREECH LOCK SYSTEM. Six stations gives you additional space to mount accessories. Automatic case ejector whisks completed round to the ammo bin.

SIX STATIONS ALLOW ANY BRAND OF DIE USE

SIMPLE, RELIABLE AUTOMATIC INDEXING

STROKE AND CLEARANCE SUFFICIENT FOR LARGEST MAGNUM RIFLE CASES

MASSIVE 28.4MM RAM GLIDES THROUGH 82MM OF SOLID STEEL, GIVES RAM OVER 7300 $\,\text{Mm}^2$ OF SOLID SUPPORT

DIES SECURELY FASTENED IN UPPER DIE CARRIER WITH SMART LOCK BUSHINGS

AUTOMATIC PRIMING SYSTEM — SIMPLE, RELIABLE AND SAFE WITH ANY BRAND OR SIZE OF PRIMER

AUTOMATIC CASE INSERTER WORKS WITH ANY CASE

EASY TO SET CASE RETAINERS ON EVERY STATION

AUTOMATIC CASE EJECTOR WHISKS COMPLETED ROUNDS INTO AMMO BIN

SIX PACK PRO INCLUDES SIX PACK RELOADING PRESS · AUTO DRUM POWDER MEASURE · APPROPRIATE SHELL PLATE UNIVERSAL CASE FEED MAGAZINE & LEE BREECH LOCK DIES. AVAILABLE IN POPULAR CALIBERS \$500.00

223 RE	MINGTON	91899
300 AA	C BLACKOUT	91918
6.5 CR	EEDMOOR	91919
32 S&V	V LONG	91900
9MM L	UGER	91901
380 AL	ITO	91902
38 SPE	CIAL	91903
40 S&V	V	91904
44 SPE	CIAL	91905
45 ACF)	91906
45 COL	.T	91907

SIX PACK PRO RELOADING PRESS ONLY PRODUCT NO. 91823 | \$350.00



INLINE BULLET FEED

Includes Inline die and appropriate multi tuhe feed magazine









BUSHINGS 91933 4-PK 27.00



NO.	PLATE	CARTRIDGES
91835	15	38 SPECIAL, 357 MAG, ETC.
91836	2L	45 ACP, 30/06, 308, 6.5 CREEDMOOR
91837	ЗL	30/30, 7x30 WATERS, 7.5 SWISS
91838	45	222, 223, 380 ACP
91839	4A	32 S&W LONG, 32 H&R MAG., ETC
91840	5L	BELTED MAGNUMS 300 MAG 303 BRITISH , 30/40 KRAG, 7MM WSM
91841	6S	32/20, 25/20, ETC.
91842	75	30 M1 CARBINE, 32 ACP
91843	8L	45/70, 348 WIN, 416 RIGBY
91844	9L	41 MAGNUM
91845	10L	220 SWIFT, 6.5 JAP
91846	11L	44 MAG., 44 SPL., 45 COLT
91847	12L	7.62X39, 6MM PPC, 22 PPC, ETC.
91848	14L	44/40, 38/40, 45 COLT, 460 S&W
91849	15 S	5.7 X 28 FN
91850	16L	500 S&W, 7.62 X 54R
91851	195	9MM LUGER, 40 S&W, 38 SUPER, ETC.
91852	19L	10MM AUTO
91853	20	22 HORNET
91854	21L	6.8 REM SPC

Purchase extras for quick magazine setup



LEE PRECISION INC

WORK SMARTER, NOT HARDER

AUTOMATIC PROCESSING PRESS

OTHING MAKES RELOADING MORE ENJOYABLE than clean and properly processed and prepared brass. The APP series takes the drudgery out of case preparation.

This is the first choice for the bullet caster or progressive high volume reloader. Size bullets, swage primer pockets, size and deprime cases at lightning speed. The APP is a frameless design giving you nearly unlimited visibility and hand clearance. The powerful compound toggle linkage operates with ease. The compact footprint mounts easily on any bench or table top with no lever under swing. Counter balanced lever prevents the handle from falling and pinching a finger. Integral single tube case and bullet feeder makes the APP the fastest single station press made. Accepts standard %-14 dies and shell holders of any manufacture.

APP Press

INCLUDES PRESS, CASE/BULLET FEEDER, SHELL HOLDER ADAPTER AND CASE/BULLET FEED TUBE BOTTLE ADAPTER

FOR AUTOMATIC CASE SIZING AND DEPRIMING BE SURE TO ORDER X-PRESS SHELL HOLDER FOR YOUR CARTRIDGE



<u>DELUXE</u> <u>AUTOMATIC PROCESSING PRESS KIT</u>

IVES YOU THE SAME PRIMING CONVENIENCE found only on expensive progressive reloading presses.

We started with the basic APP, added the Roller Handle, Universal Case Feed Magazine and the APP Deprime kit. Then we fitted the tool with the Patented automatic primer feed system. There is no priming system made that is as fast, effortless, or uniform as the APP primer.

Cases and primers are automatically fed. Primers are seated uniformly without "feel" or adjustments required. Safe with any brand or size of primer.

Change primer size in seconds. Simply twist out the priming chamber and swap out the pin and primer guide. No shell holders required!

When you're finished priming — simply twist out the priming tool and replace with the supplied shell holder adapter. Then you can use all the APP accessories available to Bulge Bust or Primer Pocket Swage.

Deluxe/APP/Kit

INCLUDES PRESS, ROLLER HANDLE, PRIMING SYSTEM, APP DEPRIME KIT, UNIVERSAL CASE FEED MAGAZINE AND BOTTLE ADAPTER

91898 190.00





OPTIONAL CASE COLLATOR #90667 pg 23 Fills all four tubes in just 10 seconds. Works with handgun, .380 to 45 Colt.



DEPRIME KIT

World's fastest, most convenient deprimer. Universal, no shell holder required.

91855 26.00

UNIVERSAL CASE FEED MAGAZINE

90242 35.00

Automates case feeding process. Most handgun and short rifle, like the 223.





ROLLER HANDLE UPDATE KIT 91629 31.00

BREECH LOCK BULLET SIZING KITS



BREECH LOCK BULLET SIZING KIT Uses inexpensive bullet sizer and punch,

see page 35 for listing. 91532 20.00

FOR THE ULTIMATE IN CONVENIENCE, CONSIDER

INLINE BULLET SIZER MAGAZINE FILLER KIT

The kit includes a complete set of the bullet feed magazines and a special adapter.

When the magazine is full, simply transfer it to the

LEE INLINE BULLET FEED DIE and never touch the bullet again!

> **INLINE BULLET SIZER** MAGAZINE FILLER KIT

92019 (see page 35)

APP PRESS OPERATION requires tube retainer and cap.

TUBE RETAINER AND CAP 92022 10.00







X-PRESS SHELLHOLDER

The APP gets its speedy operation in part, by the use of a new shell holder. We call it the X-Press Shell Holder. it allows the case to pass through the shell holder after the operations are performed.

APP SHELL HOLDER	PRODUCT NO.	CARTRIDGES	
#2	91535	45 ACP, 308 Win., 30-06	-
#4	91537	223 Rem, 5.56 NATO, 300 Blackout	Ι.
#19	91552	40 S&W, 9mm Luger	

X-PRESS FOR APP 4.98 ea



X-PRESS SHELLHOLDER SET CONTAINS 1 · 2 · 3 · 4 · 5 7 · 8 · 9 · 10 · 11 · 19

91622 45.00



Scan QR code for complete listing https://leeprecision.com/X-PRESS-Shell-Holders-Category/

BULGE BUSTER KIT















Lee APP Bulge Buster Kit

with appropriate Lee Factory Crimp Die restores free function of rimless cases that have low base bulges. Low base bulges usually occur from

chambers that do not fully support the cartridge or cases resized in carbide dies from manufacturers other than Lee.

APP BULGE BUSTER KIT

91572

30.00

See page 7 for corresponding FACTORY CRIMP DIE

PRIMER POCKET SWAGE KIT

DESIGNED EXCLUSIVELY FOR THE LEE APP PRESS

Now you can swage primer pockets as fast as you can operate the press lever



The fastest, most convenient way to swage primer pockets. Will swage large and small primer pockets on any case up to $2\frac{1}{2}$ inches (30/06) long. No shell holders required!

Large and small swage punches included.

Exclusive, case guided swage push die works without adjustment. It automatically aligns your case mouth to receive the push rod and six guide fingers center the primer pocket to the swage punch. Nothing to adjust—simply install and begin swaging.

Swage adjustment is a finger adjustable knob, no tools required.

APP PRIME IT 90237 60.00






TWO GREAT WAYS TO TRIM CASES

QUICK TRIM ™ CASE LENGTH GAUGE

FOR SAFETY SAKE, TRIM YOUR CASES



The simplest way to check the case and trim to the correct safe length is with a Lee Case Trimmer.

Lee Case Trimmer

After a case has been loaded a few times, it will stretch beyond maximum length and must be trimmed. There is no better system to check and trim cases than with the Lee Case Length Gauge and cutter. You don't need an expensive caliper to set length and never waste even a single case setting up with the cut and try system common to all other brands. The piloted cutter assures the case mouths are absolutely square and true to the case neck. Best of all, the fixed length design assures it will never go out of adjustment.

The Cutter and Lock Stud works for all calibers. You will need only one. The Case Length Gauge (Pilot) and Shell Holder must be ordered as Case Length Gauge and Shell Holder for each caliber - see chart listing at right and opposite page. You can trim cases by hand, use an electric drill.



CUTTER and LOCK STUD

6.98

Fits cases up to .468" in diameter LARGE CUTTER & LOCK STUD 90401

Can be used on any case



CUTTER only with BALL GRIP 90275 9.98

THREADED LARGE CUTTER AND LOCK STUD 90468 9.98 Large cutter with 8-32 thread shank for use on popular powered case preparation centers.





3 Jaw Chuck Trimming Kit

91720 31.00

cordless screwdrivers.





Universal 3 jaw chuck fits 25 ACP to largest belted magnums without changing shellholders.

Includes cutter and 3 jaw chuck. Order cartridge specific case length gauge separately.

Trim brass to the correct length while chamfering the case mouth

QUICKTRIM

Lee Quick Trim Case Trimmer

The Deluxe Quick Trim Case Trimmer quickly and precisely trims your brass to the correct length at the same time it chamfers the inside and outside of the case mouth. No calipers, measurement or adjustment required. Simply install the appropriate quick trim die in your press and start trimming. A click adjustable stop allows trim

length adjustment in .001 of an inch increments. Allows the user to shorten case to a uniform shorter length than standard, reducing trimming frequency. Includes snap on chip catcher. Order appropriate Quick Trim die for each cartridge listed on chart on upper right and opposite page. 90437 30.00





17 Fireball 91347 90435 17 Hornet 90435 90435 90436 91350 91	i	* Ackley Improved Cases use standard parent cartridge Case Length Gauge	QUICK TRIM DIE 16.00	QUICK TRIM DIE 20.00	LENGTH GAUGE 8.00	CASE LENGTH GAUGE 13.00
17 Hornet 17 Rem 204 Ruger 218 Bee 219 Zipper 22 Hornet 22 Hornet 22 Josowift 22 Swift 221 Fireball 221 Fireball 222 Rem Mag 222 Remington 223 WSSM 224 Valkyrie 225 Winchester 240 Weatherby Magnum 25 SWSSM 25 SWSSM 25 SWinchester 25 Winchester 26 So Winchester 26 So Winchester 275 Weatherby Magnum 275 Weatherby Magnum 270 Weatherby Magnum 270 Winchester Magnum 30 Mac Balkacut Magnum 300 Mac Balkacut Magnum 300 Mac Mac Magnum 300 Winchester Magnum 300 Watherby Magnum 300 Watherby Magnum 300 Watherby Magnum 300 Winchester Short Mag 300 Winchester Short Mag 300 Winchester Short Mag 300 Winchester Short Mag 300 Winches				01247		
17 Rem			00611	31347		
204 Ruger 90439 91350 90225 218 Dee 91350 90225 22 Hornet 90354 90111 *22 Zer Come 90284 90116 *220 Swift 90340 90113 *221 Fireball 91364 90112 *222 Remington 90340 90113 *223 WSSM 90179 90114 *223 WSSM 91358 90673 *224 Valkyrie 90868 91339 *25 Winchester 90868 91339 *25 Winchester 90868 91341 *25 Winchester 90320 90119 *243 WSSM 91341 90389 *6MM GT 91979 90221 *25-35 Winchester 91385 90121 *25-35 Winchester 91385 90121 *25-20 Winchester 91385 90124 *25-20 Winchester 91374 90122 *25-78 Weatherby Magnum 91342 9128 *25 Nosler 90637 90123			30011	00425		
218 Bee			00420	30433		
219 Zipper 22 Hornet			90439	01250		00225
22 Hornet *22/250 90284 90116 *22/250 9018 221 Fireball 221 Fireball 91364 90112 222 Rem Mag 91364 90112 222 Rem Mag 91364 90113 *222 Remington 90179 90114 223 WSSM 91358 91339 224 Valkyrie 90868 91339 225 Winchester 240 Weatherby Magnum 243 Winchester 240 Winchester 25-20 Winchester 25-35 Winchester 25-20 Winchester 25-35 Winchester 25-35 Winchester 25-36 Remington 90334 25-70 Winchester 250 Savage (250/3000) 91374 90122 *257 Roberts 91357 90123 26 Nosler 260 Remington 90399 90434 91308 90993 264 Winchester Magnum 270 Winchester Magnum 270 Winchester Short Mag 28 Nosler 270 Winchester Short Mag 90393 90177 28 Nosler 29 90128 6.5 Weatherby RPM 91771 284 Winchester Short Mag 90393 90-40 Krag 30-40 Krag 300 AAC Blackout 90689 90403 90403 90140 90140 90140 90140 90140 90140 90140 90140 90140 90140 90140 90140 90141 90040 90141 90040 90142 90040 90142				91350		
*22/250 220 Swift 221 Fireball 222 Rem Mag 222 Remington 90340 90113 *223 Remington 90179 90114 *223 WSSM 91358 90673 224 Valkyrie 225 Winchester 240 Weatherby Magnum 243 WSSM 91341 90129 243 WSSM 91341 90389 91441 90389 9157 25 WSSM 91391 243 Winchester 25 Winchester 25-0 Winchester 25-0 Winchester 25-0 Remington 25-20 Winchester 25-0 Remington 25-7 Weatherby Magnum 91342 91281 257 Weatherby Magnum 91342 91298 266 Nosler 260 Remington 90399 264 Winchester Magnum 270 Winchester Magnum 270 Winchester Short Mag 270 Winchester 9029 6.5 Weatherby RPM 284 Winchester 90399 9040 90117 284 Winchester 9029 6.5 Weatherby Magnum 91362 90128 90129 90129 90130 90140 90129 90129 90129 90128 90129 90129 90129 90128 90129 90136 9040 9040 9040 9040 9040 9040 9040 904			00354		00111	91305
220 Swift 91370 90118 221 Fireball 91364 90112 222 Rem Mag 91364 90112 222 Remington 90179 90114 223 WSSM 90673 90114 223 WSSM 91358 90673 224 Valkyrie 90868 91339 225 Winchester 90868 91339 224 Valkyrie 90868 91339 225 Winchester 90320 90119 240 Weatherby Magnum 90320 90119 243 WSSM 91341 90389 96MM GT 91979 9021 25 WSSM 91979 9021 25 WSSM 9021 90121 25-35 Winchester 91385 90121 25-35 Winchester 91385 90124 25-06 Remington 90334 90124 25-7 Roberts 91357 90123 257 Weatherby Magnum 91342 9129 26 Nosler 90637 9130 26 Nosler 9029 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
221 Fireball 91364 90112 222 Rem Mag 90340 90113 222 Remington 90179 90114 223 WSSM 91358 90673 224 Valkyrie 90868 91339 225 Winchester 91399 91280 240 Weatherby Magnum 91281 243 WSSM 91341 90389 6MM GT 91979 9021 25 WSSM 91385 90121 25-20 Winchester 91385 90121 25-35 Winchester 91385 90121 25-20 Winchester 91374 90122 25-20 Winchester 91357 90123 25-70 Weatherby Magnum 91342 9128 257 Weatherby Magnum 91349 9128 257 Weatherby Magnum 90399 90637 91307 260 Remington 90399 9093 9093 264 Winchester Magnum 91308 91279 270 Winchester Magnum 91361 91279 270 Winchester Short Mag 90393 9017 28 Nosler 91375 91295		•	90284	01070		
222 Remington 90340 90113 *223 Remington 90179 90114 *223 WSSM 91358 90673 *24 Valkyrie 90868 91339 *25 Winchester 90868 91339 *240 Weatherby Magnum 91281 *243 WSSM 91341 90389 6MM GT 91979 *25 WSSM 9021 *25-20 Winchester 91385 90121 *25-35 Winchester 91385 90121 *25-35 Winchester 90334 90124 *25-20 Winchester 91374 90122 *250 Savage (250/3000) 91374 90123 *257 Roberts 91357 90123 *257 Weatherby Magnum 91342 91298 *26 Nosler 90637 91307 *26 Nosler 90637 91307 *26 Western 91761 9129 *270 Winchester Magnum 91375 9128 *28 Nosler 91375 9128 *28 Nosler 91375 9129 *28 Western 91362 90140 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td></td<>						
222 Remington 90340 90113 *223 Remington 90179 90114 223 WSSM 91358 90673 224 Valkyrie 90868 91339 225 Winchester 91280 91280 240 Weatherby Magnum 91281 91280 240 Weatherby Magnum 90320 90119 243 WSSM 91341 90389 6MM GT 91979 90221 25-20 Winchester 91385 90121 25-35 Winchester 91385 90121 25-35 Winchester 91396 90124 25-20 Winchester 91357 90123 25-76 Remington 90334 9129 25-78 Weatherby Magnum 91357 90123 257 Roberts 91357 90123 257 Roberts 91357 90123 260 Remington 90399 9093 264 Winchester Magnum 91307 270 Weatherby Magnum 91308 270 Winchester Short Mag 90393 90117 28 Nosler <td></td> <td></td> <td></td> <td>91364</td> <td>90112</td> <td>01000</td>				91364	90112	01000
*223 Remington 90179 91358 90673 223 WSSM 91358 90673 224 Valkyrie 90868 91339 225 Winchester 90868 91339 225 Winchester 90320 90119 243 WSSM 91341 90389 6MM GT 91979 25 WSSM 91341 90389 6MM GT 91979 25-20 Winchester 91385 90121 25-20 Winchester 91385 90121 25-35 Winchester 91385 90121 25-36 Remington 90334 90124 25-20 Winchester 91357 90123 25-78 Weatherby Magnum 91342 91298 26 Nosler 90637 90993 264 Winchester Magnum 91342 91298 270 Wanchester 9029 90128 6.8 Western 91761 270 Winchester 9029 90128 6.8 Western 91761 270 Winchester Short Mag 90393 90117 28 Nosler 9029 90128 6.5 Weatherby RPM 91771 284 Winchester 91362 90129 30-378 Weatherby Magnum 91362 90129 30-378 Weatherby Magnum 91362 90129 30-378 Weatherby Magnum 91362 90129 30-0 AC Blackout 90689 9034 300 AAC Blackout 90689 300 RSAUM 91343 300 Remington Ultra Magnum 91366 300 Savage 91356 90138 300 Weatherby Magnum 90441 300 Winchester Magnum 90441 300 Winchester Short Mag 90484 90034			00040		00110	91283
223 WSSM 91358 90673 224 Valkyrie 90868 91339 225 Winchester 91280 91280 240 Weatherby Magnum 91281 243 WSSM 91341 90389 6MM GT 91979 90221 25 WSSM 90221 90129 25-20 Winchester 91385 90121 25-35 Winchester 91385 90121 25-36 Winchester 91306 9024 25-20 Winchester 91374 90124 25-20 Winchester 91374 90124 25-20 Winchester 91377 90123 257 Weatherby Magnum 91357 90123 257 Weatherby Magnum 91342 91298 260 Remington 90399 90993 261 Winchester Magnum 90399 90993 264 Winchester Magnum 91308 270 Winchester Short Mag 90393 90128 6.8 Western 91761 90128 28 Nosler 91375 91295 28 Winchester Sho						
224 Valkyrie 90868 91339 91280 240 Weatherby Magnum 91281 91281 243 Winchester 90320 90119 243 WSSM 91341 90389 6MM GT 91979 90221 25-WSSM 90221 90121 25-20 Winchester 91385 90121 25-35 Winchester 91306 90124 25-20 Winchester 90334 90124 25-20 Winchester 91357 90123 25-70 Gamington 9034 90122 *257 Roberts 91357 90123 257 Weatherby Magnum 91342 91298 260 Remington 90399 9093 264 Winchester Magnum 90399 9093 260 Remington 90399 9093 260 Remington 90399 9093 264 Winchester Magnum 91308 270 Weatherby Magnum 9129 28 Nosler 91761 270 Winchester Short Mag 91375 30-30 Swatherby Magnum 91362 30-40 Krag 91354 30/06 Sprin			90179	01050	90114	00070
245 Winchester 91280 240 Weatherby Magnum 90320 243 WissM 91341 6MM GT 91979 25 WSSM 91385 25-20 Winchester 91385 25-26 Remington 9034 25-20 Winchester 91306 25-20 Winchester 90124 25-20 Winchester 90124 25-20 Winchester 90124 25-20 Winchester 91374 250 Savage (250/3000) 91374 *257 Roberts 91357 257 Weatherby Magnum 91342 26 Nosler 90637 26 Nosler 90637 260 Remington 90399 264 Winchester Magnum 91308 270 Winchester Magnum 9128 6.8 Western 90128 2.8 Nosler 90229 9.8 Western 91761 270 Winchester Short Mag 90393 28 Nosler 91375 30 -378 Weatherby Magnum 91362 30-40 Krag 91354 30/06 Springfield 90291 *30/06 Springfield 90291<				91358	01000	90673
240 Weatherby Magnum 90320 90119 243 Winchester 90320 90119 243 WSSM 91341 90389 6MM GT 91979 90221 25 WSSM 91385 90121 25-20 Winchester 91385 90121 25-36 Remington 90334 90124 25-20 Winchester 901306 91374 90121 250 Savage (250/3000) 91374 90123 257 Weatherby Magnum 91342 91298 26 Nosler 90637 91307 260 Remington 90399 90993 264 Winchester Magnum 91308 91279 270 Weatherby Magnum 9129 90128 28 Nosler 9029 90128 28 Nosler 91375 91295 28 Nosler 91375 91295 28 Weatherby RPM 91771 91284 280 Rem ACK Improved 91375 91295 6.5 Weatherby Magnum 90140 90140 30/30 Wonchester 90249 90136 30/06 Springfield 90291 90136 300 AC Blackout 90689 90443 300 H&H 90407 300 H&H or Ultra Magnum 91366 90140 <			90868		91339	0.4.000
243 Winchester 90320 90119 243 WSSM 91341 90389 6MM GT 91979 90221 25-WSSM 90221 90212 25-20 Winchester 91385 90121 25-35 Winchester 91306 90124 25-20 Winchester 90134 90124 25-20 Winchester 901374 90122 250 Savage (250/3000) 91374 90123 257 Weatherby Magnum 91342 91298 26 Nosler 90637 91307 260 Remington 90399 90993 264 Winchester Magnum 91307 90993 270 Weatherby Magnum 91279 270 Winchester 90229 90128 6.8 Western 91761 91279 270 Winchester Short Mag 90393 90117 28 Nosler 91375 91295 2.5 Weatherby RPM 91771 91284 284 Winchester 91362 90129 30-378 Weatherby Magnum 90136 90140 *30/06 Springfield 90291 90136 *30/ Ac Blackout 90899 90407 300 H&H 90140 90407 300 H&H 90141 90407 300 Remin						
243 WSSM 91341 90389 6MM GT 91979 25 WSSM 90221 25-20 Winchester 91385 90121 25-35 Winchester 91306 25-06 Remington 90334 90124 25-20 Winchester 90394 90124 25-20 Winchester 90124 90124 25-20 Winchester 90127 90123 257 Roberts 91357 90123 257 Weatherby Magnum 91342 91298 26 Nosler 90637 9093 260 Remington 90399 90993 264 Winchester Magnum 91308 270 Winchester Magnum 9129 28 Nosler 9029 90128 28 Nosler 91761 270 Winchester Short Mag 91375 91295 6.5 Weatherby RPM 91771 91284 280 Rem ACK Improved 91375 91295 6.5 Weatherby Magnum 91362 90129 30-30 Winchester 91362 90129 30-30 Winchester 90291 90136 30/30 Winchester 90249 90136 300 AC Blackout 90689 90443 300 H&H 90407 90407 300 RSAUM 9						91281
6MM GT 91979 25 WSSM 90221 25-20 Winchester 91385 90121 25-35 Winchester 91306 9534 90124 25-20 Winchester 90334 90124 90121 25-20 Winchester 91374 90122 90121 250 Savage (250/3000) 91374 90122 90122 *257 Roberts 91357 90123 90122 257 Weatherby Magnum 91342 91298 91307 260 Remington 90399 90993 264 Winchester Magnum 91308 91279 270 Weatherby Magnum 90229 90128 91279 90128 90129 6.8 Western 9029 90128 90129 90128 90129 90128 90129 90128 90129 90128 90129 90128 90129 90128 90129 90128 90129 90128 90129 90128 90129 90128 90129 90128 90129 90128 90129 90128 90129 90129 </td <td></td> <td></td> <td>90320</td> <td></td> <td>90119</td> <td></td>			90320		90119	
25 WSSM 90221 25-20 Winchester 91385 90121 25-35 Winchester 90334 90124 25-20 Winchester 90334 90124 25-20 Winchester 901374 90122 250 Savage (250/3000) 91374 90122 257 Weatherby Magnum 91342 91298 26 Nosler 90637 91307 260 Remington 90399 90993 264 Winchester Magnum 91308 270 Weatherby Magnum 90229 90128 6.8 Western 9170 Winchester Short Mag 90393 90117 28 Nosler 90296 6.5 Weatherby RPM 91771 284 Winchester 91362 90129 6.5 Weatherby Magnum 91362 90129 30-378 Weatherby Magnum 91362 90129 30-378 Weatherby Magnum 91362 90129 30-40 Krag 91364 90137 30/06 Springfield 90291 90140 *30/30 Winchester 90249 90136 300 AAC Blackout 90689 90443 300 H&H or Ultra Magnum 90441 300 Weatherby Magnum 91366 300 Savage 91356 90138 300 Weatherby Magnum 90441 300 Winchester Magnum 90444						90389
25-20 Winchester 91385 90121 25-35 Winchester 90334 90124 25-06 Remington 90334 90124 25-20 Winchester 901374 90121 250 Savage (250/3000) 91374 90122 257 Weatherby Magnum 91342 91298 26 Nosler 90637 91307 260 Remington 90399 9093 264 Winchester Magnum 91308 270 Weatherby Magnum 91279 270 Winchester 90229 9128 6.8 Western 91761 270 Winchester Short Mag 90393 90117 28 Nosler 91375 91295 6.5 Weatherby RPM 91771 284 Winchester 91362 90129 30-378 Weatherby Magnum 91362 9129 30-40 Krag 91354 90137 30/06 Springfield 90291 90136 300 AAC Blackout 90689 90443 300 H&H 90407 300 Remington Ultra Magnum 91366 300 Remington Ultra Magnum 91366 300 Remington Ultra Magnum 91366 300 Navage 91356 90138 300 Winchester Magnum 90441 300 Winchester Magnum 90441 300 Winchester Short Mag 90484 90034				91979		
25-35 Winchester 25-06 Remington 25-20 Winchester 25-20 Winchester 250 Savage (250/3000) 91374 90122 *257 Roberts 91357 90123 257 Weatherby Magnum 91342 91298 26 Nosler 90637 260 Remington 90399 90993 264 Winchester Magnum 270 Winchester Magnum 270 Winchester Short Mag 28 Nosler 270 Winchester Short Mag 28 Nosler 29 Nosler 28 Weatherby RPM 91771 28 Winchester 6.5 Weatherby RPM 91771 284 Winchester 90-29 90-128 6.5 Weatherby Magnum 91308 91279 91284 91295 6.5 Weatherby Magnum 91375 91284 91309 30-40 Krag 90-378 Weatherby Magnum 30-40 Krag 30/30 Winchester 90249 90136 300 AAC Blackout 90689 300 H&H or Ultra Magnum 300 H&H or Ultra Magnum 300 H&H or Ultra Magnum 300 Remington Ultra Magnum 91366 300 Savage 91356 90138 300 Weatherby Magnum 300 Winchester Magnum 300 Winchester Magnum 300 Winchester Magnum 300 Winchester Magnum 300 Remington Ultra Magnum 300 Remington Ultra Magnum 300 Winchester Magnum 90441 300 Winchester Short Mag 90484						
25-06 Remington 90334 90124 25-20 Winchester 90127 250 Savage (250/3000) 91374 90122 257 Roberts 91357 90123 257 Weatherby Magnum 91342 91298 26 Nosler 90637 91307 260 Remington 90399 90993 264 Winchester Magnum 91308 270 Weatherby Magnum 91279 270 Winchester 90229 90128 6.8 Western 91761 270 Winchester Short Mag 90393 90117 28 Nosler 91375 91294 280 Rem ACK Improved 91375 91295 6.5 Weatherby RPM 91771 284 Winchester 91362 90129 30-378 Weatherby Magnum 91362 90129 30-378 Weatherby Magnum 91362 90130 30/06 Springfield 90291 90140 230/30 Winchester 90249 90136 300 AAC Blackout 90689 90443 300 H&H or Ultra Magnum 90441 300 Weatherby Magnum 91366 90138 300 Weatherby Magnum 91366 300 Savage 91356 90138 300 Weatherby Magnum 90441 300 Winchester Short Mag 90484 90034				91385		
25-20 Winchester 91374 90121 250 Savage (250/3000) 91374 90122 257 Weatherby Magnum 91342 91298 26 Nosler 90637 91307 260 Remington 90399 90993 264 Winchester Magnum 91270 Weatherby Magnum 91279 270 Winchester 90229 90128 6.8 Western 91761 270 Winchester Short Mag 90393 90117 28 Nosler 91375 91294 280 Rem ACK Improved 91375 91295 6.5 Weatherby RPM 91771 284 Winchester 91362 90129 30-378 Weatherby Magnum 91362 90129 30-40 Krag 91364 90137 30/06 Springfield 90291 90140 *30/30 Winchester 90249 90136 300 AAC Blackout 90689 90403 300 H&H or Ultra Magnum 90441 300 Waetherby Magnum 91366 300 Savage 91356 90138 300 Weatherby Magnum 90441 300 Winchester Magnum 90441						91306
250 Savage (250/3000) 91374 90122 *257 Roberts 91357 90123 257 Weatherby Magnum 91342 91298 26 Nosler 90637 91307 260 Remington 90399 90993 264 Winchester Magnum 91308 270 Weatherby Magnum 91279 270 Winchester 90229 9128 6.8 Western 91761 270 Winchester Short Mag 90393 90117 28 Nosler 91375 91295 6.5 Weatherby RPM 91771 284 Winchester 91362 90129 30-378 Weatherby Magnum 91364 90137 30/06 Springfield 90291 90136 30/00 AC Blackout 90689 90443 300 H&H 90407 300 H&H 90407 300 Remington Ultra Magnum 91366 300 Savage 91356 90138 300 Winchester Magnum 90441 300 Winchester Magnum 90441 300 Winchester Magnum 90441 300 Winchester Rhagnum 90441 300 Winchester Short Mag 90484 90034		-	90334		90124	
*257 Roberts 91357 90123 257 Weatherby Magnum 91342 91298 91307 260 Remington 90399 90993 264 Winchester Magnum 91342 91298 91307 270 Weatherby Magnum 91279 270 Winchester 90229 91279 270 Winchester 90229 91761 91284 280 Rem ACK Improved 91375 91295 6.5 Weatherby RPM 91771 284 Winchester 91362 90129 30-378 Weatherby Magnum 91362 91309 30/36 Springfield 90291 90136 90136 300 AAC Blackout 90689 90393 90443 300 H&H or Ultra Magnum 91366 300 Remington Ultra Magnum 91366 300 Remington Ultra Magnum 91366 300 Savage 91356 90138 300 Weatherby Magnum 91366 300 Weatherby Magnum 91366 300 Weatherby Magnum 90441 300 Winchester Magnum 90444 90034						90121
257 Weatherby Magnum 91342 91298 26 Nosler 90637 91307 260 Remington 90399 90993 264 Winchester Magnum 91308 270 Weatherby Magnum 9129 270 Winchester 90229 6.8 Western 91761 270 Winchester Short Mag 90393 28 Nosler 91375 280 Rem ACK Improved 91375 6.5 Weatherby RPM 91771 284 Winchester 91362 30-378 Weatherby Magnum 91362 30/06 Springfield 90291 *30/08 Opringfield 90291 *30/08 Winchester 90249 300 AAC Blackout 90689 300 H&H or Ultra Magnum 90407 300 H&H or SILTA Magnum 91343 300 Remington Ultra Magnum 91366 300 Savage 91356 300 Weatherby Magnum 90408 300 Winchester Magnum 90441 300 Winchester Short Mag 90484 90034		0 ()				90122
26 Nosler 90637 91307 260 Remington 90399 90993 264 Winchester Magnum 91308 270 Weatherby Magnum 91279 270 Winchester 90229 90128 6.8 Western 91761 270 Winchester Short Mag 90393 90117 28 Nosler 91375 91294 280 Rem ACK Improved 91375 91295 6.5 Weatherby RPM 91771 91362 280-378 Weatherby Magnum 91362 90129 30-40 Krag 91354 90137 30/06 Springfield 90291 90140 *30/30 Winchester 90249 90136 300 A&C Blackout 90689 90443 300 H&H 90407 300 H&H of Ultra Magnum 90407 300 Remington Ultra Magnum 91366 300 Savage 91356 90138 300 Weatherby Magnum 90408 90143 300 Winchester Magnum 90408 90142 300 Winchester Short Mag 90484 90034		*257 Roberts		91357	90123	
260 Remington 90399 90993 264 Winchester Magnum 91308 270 Weatherby Magnum 91279 270 Winchester 90229 90128 6.8 Western 91761 270 Winchester Short Mag 90393 90117 28 Nosler 91375 91284 280 Rem ACK Improved 91375 91295 6.5 Weatherby RPM 91771 91362 90129 30-378 Weatherby Magnum 91362 90129 30/40 Krag 91354 90137 30/06 Springfield 90291 90140 *30/30 Winchester 90249 90136 300 AAC Blackout 90689 90443 300 H&H 90407 90407 300 H&H or Ultra Magnum 91343 300 Remington Ultra Magnum 91366 300 Savage 91356 90138 300 Weatherby Magnum 90408 90142 300 Winchester Magnum 90441 90142 300 Winchester Short Mag 90484 90034		257 Weatherby Magnum		91342	91298	
264 Winchester Magnum 270 Weatherby Magnum 270 Weatherby Magnum 270 Winchester 6.8 Western 270 Winchester Short Mag 28 Nosler 28 Nosler 29 1375 6.5 Weatherby RPM 29 1375 6.5 Weatherby RPM 29 1377 28 Winchester 30-378 Weatherby Magnum 30-40 Krag 30/06 Springfield 30/30 Winchester 300 AAC Blackout 300 AAC Blackout 300 H&H or Ultra Magnum 300 H&H or Ultra Magnum 300 RSAUM 300 Remington Ultra Magnum 300 Remington Ultra Magnum 300 Weatherby Magnum 300 Winchester Magnum 300 Winchester Magnum 300 Weatherby Magnum 300 Winchester Short Mag 90484		26 Nosler		90637		91307
270 Weatherby Magnum 91279 270 Winchester 90229 6.8 Western 91761 270 Winchester Short Mag 90393 28 Nosler 91375 280 Rem ACK Improved 91375 6.5 Weatherby RPM 91771 284 Winchester 91362 30-378 Weatherby Magnum 91394 30-40 Krag 91354 30/06 Springfield 90291 *30/30 Winchester 90249 300 AAC Blackout 90689 300 H&H or Ultra Magnum 90407 300 H&H or SILTRA Magnum 91343 300 Remington Ultra Magnum 91366 300 Savage 91356 90138 300 Weatherby Magnum 90408 90142 300 Winchester Magnum 90441 90142 300 Winchester Short Mag 90484 90034		260 Remington	90399		90993	
270 Winchester 90229 90128 6.8 Western 91761 270 Winchester Short Mag 90393 28 Nosler 91375 280 Rem ACK Improved 91375 91295 6.5 Weatherby RPM 91771 284 Winchester 91362 90129 30-378 Weatherby Magnum 91362 90139 30-40 Krag 91354 90137 30/06 Springfield 90291 90140 *30/30 Winchester 90249 90136 300 A&C Blackout 90689 90443 300 H&H 90407 300 H&H or Ultra Magnum 90141 300 RSAUM 91343 300 Remington Ultra Magnum 91366 300 Savage 91356 90138 300 Weatherby Magnum 90408 90143 300 Winchester Magnum 90441 90142 300 Winchester Short Mag 90484 90034		264 Winchester Magnum				91308
6.8 Western 91761 270 Winchester Short Mag 90393 90117 28 Nosler 91375 91294 280 Rem ACK Improved 91375 91295 6.5 Weatherby RPM 91771 284 Winchester 91362 90129 30-378 Weatherby Magnum 91354 90137 30/06 Springfield 90291 90140 *30/30 Winchester 90249 90136 300 AAC Blackout 90689 90443 300 H&H 90407 300 H&H 91017 91609 300 RSAUM 91343 300 Remington Ultra Magnum 91366 300 Savage 91356 90138 300 Weatherby Magnum 90441 300 Winchester Magnum 90444		270 Weatherby Magnum				91279
270 Winchester Short Mag 28 Nosler 28 Nosler 91375 6.5 Weatherby RPM 91771 284 Winchester 30-378 Weatherby Magnum 30-40 Krag 30/06 Springfield 90291 90140 *30/30 Winchester 90689 300 AAC Blackout 300 H&H or Ultra Magnum 300 H&H or Ultra Magnum 300 RSAUM 300 Remington Ultra Magnum 300 Remington Ultra Magnum 300 Weatherby Magnum 300 Weatherby Magnum 300 Weatherby Magnum 300 Winchester Short Mag 90441 300 Winchester Short Mag 90441 300 Winchester Magnum 90441 300 Winchester Short Mag 90484 90034		270 Winchester	90229		90128	
28 Nosler 91284 280 Rem ACK Improved 91375 91295 6.5 Weatherby RPM 91771 284 Winchester 91362 90129 30-378 Weatherby Magnum 91354 90137 30/06 Springfield 90291 90140 **30/30 Winchester 90249 90136 300 AAC Blackout 90689 90443 300 H&H 90407 300 H&H 91609 300 RSAUM 91343 300 Remington Ultra Magnum 91366 300 Savage 91356 90138 300 Weatherby Magnum 90441 300 Winchester Magnum 90441 300 Winchester Magnum 90441 300 Winchester Magnum 90444 300 Winchester Magnum 90444 300 Winchester Short Mag 90484 90034		6.8 Western		91761		
280 Rem ACK Improved 6.5 Weatherby RPM 91771 284 Winchester 30-378 Weatherby Magnum 30-40 Krag 30-40 Krag 30/06 Springfield 90291 90140 90140 90140 90140 90140 90140 90140 90140 90140 90140 90140 90140 90140 90140 90141 90141 90141 90141 90141 90141 90141 90141 90141 90141 90141 90141 90141 90141 90141 90142 90142 90142 90142		270 Winchester Short Mag	90393		90117	
6.5 Weatherby RPM 91771 284 Winchester 91362 90129 30-378 Weatherby Magnum 91354 90137 30-40 Krag 91354 90137 30/06 Springfield 90291 90140 *30/30 Winchester 90249 90136 300 AAC Blackout 90689 90443 300 H&H 90407 300 H&H or Ultra Magnum 91609 300 RSAUM 91343 300 Remington Ultra Magnum 91366 300 Savage 91356 90138 300 Weatherby Magnum 90441 300 Winchester Magnum 90441 300 Winchester Magnum 90441 300 Winchester Short Mag 90484 90034		28 Nosler				91284
284 Winchester 91362 90129 30-378 Weatherby Magnum 91354 90137 30/06 Springfield 90291 90140 *30/30 Winchester 90249 90136 300 AAC Blackout 90689 90443 300 H&H or Ultra Magnum 90141 300 H&M'R 91609 300 RSAUM 91343 300 Remington Ultra Magnum 91366 300 Savage 91356 90138 300 Weatherby Magnum 90441 300 Winchester Magnum 90441 300 Winchester Short Mag 90484 90034		280 Rem ACK Improved		91375		91295
30-378 Weatherby Magnum 30-40 Krag 30/06 Springfield 90291 90136 300 AAC Blackout 90689 90443 300 H&H 900407 300 H&H or Ultra Magnum 300 H&H 91609 300 RSAUM 91343 300 Remington Ultra Magnum 91366 300 Savage 91356 90138 300 Weatherby Magnum 90441 300 Winchester Magnum 90441 300 Winchester Short Mag 90484 90137		6.5 Weatherby RPM		91771		
30-40 Krag 91354 90137 30/06 Springfield 90291 90140 *30/30 Winchester 90249 90136 300 AAC Blackout 90689 90443 300 H&H 90407 300 H&H 9140 90141 300 HAM'R 91609 300 RSAUM 91343 300 Remington Ultra Magnum 91366 300 Savage 91356 90138 300 Weatherby Magnum 90441 300 Winchester Magnum 90441 300 Winchester Short Mag 90484 90034		284 Winchester		91362		90129
30/06 Springfield 90291 90140 *30/30 Winchester 90249 90136 300 AAC Blackout 90689 90443 300 H&H 90407 300 H&H or Ultra Magnum 91609 90141 300 HAM'R 91609 91343 300 Remington Ultra Magnum 91366 300 Savage 91356 90138 300 Weatherby Magnum 90441 90142 300 Winchester Magnum 90441 90142		30-378 Weatherby Magnum				91309
*30/30 Winchester 90249 90136 300 AAC Blackout 90689 90443 300 H&H 90407 300 H&H or Ultra Magnum 90141 300 HAM'R 91609 300 RSAUM 91343 300 Remington Ultra Magnum 91366 300 Savage 91356 90138 300 Weatherby Magnum 90441 300 Winchester Magnum 90441 300 Winchester Short Mag 90484 90034		30-40 Krag		91354	90137	
300 AAC Blackout 90689 90443 300 H&H 90407 300 H&H 9101 90141 300 HAM'R 91609 300 RSAUM 91343 300 Remington Ultra Magnum 91366 300 Savage 91356 90138 300 Weatherby Magnum 90441 300 Winchester Magnum 90441 300 Winchester Short Mag 90484 90034		30/06 Springfield	90291		90140	
300 H&H 90407 300 H&H or Ultra Magnum 90141 300 HAM'R 91609 300 RSAUM 91343 300 Remington Ultra Magnum 91366 300 Savage 91356 90138 300 Weatherby Magnum 90408 90143 300 Winchester Magnum 90441 90142 300 Winchester Short Mag 90484 90034		*30/30 Winchester	90249		90136	
300 H&H or Ultra Magnum 300 HAM'R 300 RSAUM 300 Remington Ultra Magnum 300 Savage 300 Weatherby Magnum 300 Winchester Magnum 300 Winchester Short Mag 90441 300 Winchester Short Mag 90484 90034		300 AAC Blackout	90689		90443	
300 HAM'R 91609 300 RSAUM 91343 300 Remington Ultra Magnum 91366 300 Savage 91356 300 Weatherby Magnum 90408 300 Winchester Magnum 90441 300 Winchester Short Mag 90484 90034		300 H&H		90407		
300 RSAUM 91343 300 Remington Ultra Magnum 91366 300 Savage 91356 300 Weatherby Magnum 90408 300 Winchester Magnum 90441 300 Winchester Short Mag 90484 90034		300 H&H or Ultra Magnum			90141	
300 RSAUM 91343 300 Remington Ultra Magnum 91366 300 Savage 91356 300 Weatherby Magnum 90408 300 Winchester Magnum 90441 300 Winchester Short Mag 90484 90034		300 HAM'R		91609		
300 Remington Ultra Magnum 91366 300 Savage 91356 90138 300 Weatherby Magnum 90408 90143 300 Winchester Magnum 90441 90142 300 Winchester Short Mag 90484 90034		300 RSAUM				
300 Savage 91356 90138 300 Weatherby Magnum 90408 90143 300 Winchester Magnum 90441 90142 300 Winchester Short Mag 90484 90034						
300 Weatherby Magnum 90408 90143 300 Winchester Magnum 90441 90142 300 Winchester Short Mag 90484 90034					90138	
300 Winchester Magnum 90441 90142 300 Winchester Short Mag 90484 90034		· ·				
300 Winchester Short Mag 90484 90034			90441			
11020						

Chamfer Tool Must be used after Case Trimming, Unique design cuts fast without chatter. One turn does the job. Chamfers and deburrs inside and outside of case necks. Can also be used to remove the crimp from primer pockets of military brass. Works better than tools costing several times as much. 90109 3.98



Primer Pocket Cleaner Double ended design cleans both large and small primer pockets. Primers can be fully seated for better accuracy and safety. Costs so little and works so well, no reloader can afford to be without one. 90101

Case Conditioning Kit Includes cutter and lock stud, chamfer tool and primer pocket cleaner.

90950 12.98

Decapper & Base Easily removes crimped in primers from military cases. Guaranteed unbreakable.

22 Caliber 90103 30 Caliber 90102

7.98



The ultimate in case trimming, speed and convenience

Deluxe Power Quick Trim

Trim and chamfer in a matter of seconds. Hex shank snaps in to cordless screwdriver or drill (sold separately) Includes power Quick-Trim adapter, chip catcher and deluxe cutter assembly. To complete your trimming setup, order cartridge specific Quick Trim die from chart above and 90670 opposite page.







TRIMMING TOOL CHART | BULGE BUSTER KIT

			•	9
TR.			_	
#	QUICK TRIM DIE 16.00	Ltd. Prod. QUICK TRIM DIE 20.00	CASE LENGTH GAUGE 8.00	Ltd. Prod. CASE LENGTH GAUGE 13.00
303 Savage		91383		
308 Marlin		91352		
308 Norma Magnum 308 Winchester	90231		90139	91289
32 Winchester Special	90231		90139	90491
32-40 Winchester		91376		91312
325 WSM		91344		90222
327 Federal Magnum				91303
338 Edge 338 Federal				91313 90218
338 Lapua			90462	90216
338 Remington Ultra Magnum			00.02	91314
338 Winchester Magnum	90391		90149	
340 Weatherby Magnum		91346		91223
348 Winchester	00400	91360	90150	91304
35 Remington 35 Whelen	90403	91355	90150	
350 Legend		91561	91567	
350 Remington Magnum		91377		91315
358 Winchester				91318
358 WSSM	00005	91378		
375 H&H 375 H&H or Ultra Mag	90395		90164	
375 Ruger		90613	30104	91285
7mm PRC		92005		92031
375 Socom				91319
375 Super Magnum		0.10=1		91320
375 Winchester 40-65 Winchester		91371 91384		90165 91323
416 Rigby		91364		91323
416 Ruger				91294
43 Spanish		91367		
444 Marlin		91372	90151	
45/70 Government	90458		90152	91287
45/70 LEVERevolution 450 Bushmaster			91325	91207
450 Marlin			01020	90554
458 Lott				91326
458 Socom			91290	
458 Winchester Magnum 50 Beowulf REQUIRES LARGE CUTTER		91345	91292	90971
			90010	
50 BMG REQUIRES LARGE CUTTER			\$26.00	
6.5 Carcano	00040	91353	0004.4	90043
6.5 Creedmoor 8.6 BLACKOUT	90812	91978	90814	92001
6.5 PRC		91348	91533	32001
6MM ARC	91665			92030
6.5 Grendel	90763		91278	
6.5 x 284		91361		
6.5 x 284 / 6.5 Rem Mag 6.5 x 55 Swedish Mauser	90337		90223 90126	
6.5-06	90337		30120	91108
6.5 X 47 Lapua		91381		91330
6.5 X 50 Japanese				91331
6.5 X 57 Mauser				91291
6.8 SPC	90397		90189	01200
6MM BR NOR/RE 6mm Creedmoor	90658		91340	91296
6MM PPC	00000	91349	31040	91282
6mm Remington (244 Rem.)		90434	90120	
6MM TCU				91286
6MM XC				91328
6X45MM				91329

UNLISTED RIFLE QUICK TRIM DIES can be custom made. leeprecision.com/custom-rifle-quick-trim-die-body.html

Ram Swage

CASE LENG GAUGE * Ackley Improved Cases use standard parent cartridge Case Length Gauge 16.00 20.00 8.00 13.00 6X47 Lapua 91380 91302 90130 7 x 57 Mauser 90489 7 x 64 Brenneke 90236 7-30 Waters 91335 7.35 Carcano 91293 7.5 x 55 Swiss (Schmidt-Rubin) 90419 90132 91359 90051 7 5 x 54 MAS 90345 7.62 x 39 Russian 90133 7.62 x 54 Russian 90342 90147 7.62 x 40 Wilson Tactical 91300 7.65 x 53 Mauser (Belgian-Arg) 91382 90134 7.7 x 58 Japanese Arisaka 90115 91368 *7mm Express/280 Rem. 90412 90166 7mm Remington Magnum 90297 90131 7MM RUM 91333 7MM STW 91332 7MM Weatherby Magnum 91334 7mm Winchester Short Mag 90314 7mm/08 90343 90167 7X64 Brenneke 91386 8x56 Aust-Hung Mannlicher 90589 8x57 Mauser 90347 90148 8MM Remington Magnum 91337 8X68MM S 91288 9.3x62 Mauser 90614 91299 9.3x74 R 91301 22 TCM 91373 90219 57x28FN 91363 30 M1 Carbine 90365 90135 90684 9mm Makarov 90181 90153 9mm Luger 90032 357 SIG 91317 38 Supe 90217 380 Auto 90025 90155 30 Herrett 91297 7.62X25 Tokarev 91336 91338 32 ACP 32 S&W 91311 32 Smith & Wesson Long 90169 32 H&R Magnum 91310 32-20 Winchester 91365 90146 38 S&W 90156 90085 90157 38 Special 38-40 Winchester 91351 91322 38-55 Winchester 91379 90994 357 Magnum 90088 90158 357 MAX 91316 40 S&W 90033 90154 10mm Auto 90193 90127 38 Short Colt 91321 90159 41 Magnum 90226 44-40 Winchester 90168 91369 44 Special 90107 90160 44 Magnum 90125 90161 45 ACP 90073 90162 45 Colt 90145 90163 45 GAP 91473 90992 454 Casull 90174 460 S&W 90220 90018 480 Ruger REQUIRES LARGE CUTTER

UNLISTED CASE LENGTH GAUGES can be custom made. leeprecision.com/custom-case-length-gauge.html







Primer pocket swager works so fast that you'll want to swage all the range brass you pick-up. Works on all single stage presses with 7/8"-14 threads and accepts universal press shell holders. Features spring assisted case extraction, and an

all steel case guide, ensures cases will be positively centered on push rod. Shell holderless design, allows you to swage any small or large primer pocket, without swapping to a different size shell-holder.

91617 50.00



BULGE BUS


90178

Assure your mixed brass is bulge free with the Bulge Buster Kit and appropriate Lee Carbide Factory Crimp Die. This push through die adapter will quickly remove the annoying bulge rings that shell holder constrained dies simply can't reach. The Bulge Buster Kit includes extension sleeve, push through punch, catch container and complete instructions. And it's fast - you can reprocess your cases as quickly as you can handle them. CARBIDE FACTORY CRIMP DIES, SEE PAGE 7

Bulge Buster Kit 90487 19.98

50 Action Express

500 S&W REQUIRES LARGE CUTTER





91327

90019

Extension

WITH THE LEE FACTORY CRIMP DIE, THE BULGE BUSTER WILL REPAIR RIMLESS CASES



OFFPRESS PRIMING

AUTO BENCH PRIME

THE EASIEST, MOST CONVENIENT BENCH MOUNTED PRIMING TOOL EVER.

Symmetrical design allows effortless right or left hand operation.

Comfortable lever with just the right amount of mechanical advantage effortlessly seats even the most difficult primers with just finger pressure. Perfect mechanical advantage to feel the primer seating completely home into the primer pocket.

INCLUDES PRIMING ASSEMBLIES FOR LARGE AND SMALL PRIMERS. CHANGE PRIMER SIZE OR SHELL HOLDER IN SECONDS.




Tray's built-in flipping surface quickly rights and orients primers—go from box to priming in seconds. Patented elevator pin safely isolates a single primer for priming. Allows most primer brands and types to be safely tray fed. The convenient hinged cover allows you to individually feed primers if restricted by the primer manufacturer.

INCLUDES THE PATENTED FOLDING TRAY — GO FROM BOX TO PRIMING IN SECONDS. NO NEED FOR A HEAVY BENCH; FITS THE LEE BENCH PLATE OR MOUNT TO A BOARD FOR A PORTABLE SETUP.

New, removeable tray patented



Unfold tray and place on top of box of 100 primers.



Flip tray over to deposit the primers.



Shake tray to upright all the primers. Fold and close cover.



Slide the flow control to LOCK.



Folding Primer Tray
TWO PACK 90606 9.00

SHELL HOLDER	FOR PRIMING TOOL SHELL HOLDERS 4.98
#1	90201
#2	90202
#3	90203
#4	90204
#5	90205
#6	90206
#7	90207
#8	90208
#9	90209
#10	90210
#11	90211
#12	90212
#13	90213
#14	90272
#15	90017
#16	90200
#17	N/A
#18	N/A
#19	90023
#20	90020
#21	90031
#24	91495
#25	91496





Auto-Prime

The original and world's most popular hand-held priming tool. Fast and economical hand held priming with unmatched feel and accuracy. Comes packed in a convenient storage box to keep your tool and shellholders together.

90230 31.98



Set of Priming Tool Shellholders

Eleven of the most popular sizes fit over 115 different cartridges. Chart (below) is included with each shell holder set. Additional cartridge listings on leeprecision.com

#1 . 2 . 3 . 4 . 5 . 7 . 8 . 9 . 10 . 11 . 19

PRIMING TOOL SHELL HOLDER SET 90198 28.9

with 11 Shellholders for LEE PRIMING TOOLS

AND THESE OTHER FINE TOOLS—K&M, SINCLAIR, F A PLATINUM, CPS, 21ST CENTURY

RED STORAGE BOX ONLY 90196 4.98

Save even more! Purchase a kit!

Priming Tool Kit

Includes the New Auto-Prime, and nice molded storage box. Holds everything, including a complete set of shell holders. Kit comes with 8 of the most popular priming tool shell holders; works with over 130 different cartridges—

|1|2|3|4|5|11|12|19|

Holds an additional 8 shell holders. Kit is a convenient way to keep tool and shell holders all in one spot. 90215 47.98



Priming Tool Storage Box

Holds your New Auto Prime tool. With room for 18 priming tool shell holders.

90426 5.98



Packed in a lifetime plastic box

ALL OFF-PRESS PRIMING TOOLS USE SPECIAL, BUT INEXPENSIVE PRIMING TOOL SHELL HOLDERS, SO THERE'S NO NEED TO ENDLESSLY SWAP PRESS SHELL HOLDERS TO PRIME.

HOLD	ER RIFLE	HOLDER	RIFLE	HOLDER	RIFLE	HOLDER	RIFLE	HOLDER	PISTOL
20	17 Hornet	2	250 Savage	12	7.62mm x 39	2	35 Remington	7	32 ACP
4	17 Remington	3	25/35	16	7.62x54 Russian	5	35 Winchester	4	32 Colt N.P.
4	204 Ruger	4	25/45 Sharps	3	30 Herrett	2	35 Whelen	4	380 Auto
4	22 TCM	2	257 Roberts	3	30/30 Win. (30 WCF)	5	350 Rem. Mag.	19	9mm LUGER
20	22 Hornet	5	257 Weatherby	2	300 Savage	3	356 Winchester		
20	22 K Hornet	2	6mm Creedmoor	16	30/378	2	358 Winchester	1	38 S & W
3	22 Savage	2	6.5mm Creedmoor	21	30 Remington	5	358 Norma Magnum	1	38 Colt N.P.
2	22 BR	2	6.5mm 06	2	308 Win. (7.62 NATO)	3	375 Winchester	19	38 Super Auto
6	218 Bee	2	6.5mm x 57	4	300 AAC Blackout	5	375 H & H	19	38 ACP
12	22 PPC	3	6.5 x 55 Mauser	5	30/40 Krag (30 U.S.)	5	375 Weatherby	1	38 Short Colt
3	219 Zipper	10	6.5 Jap	2	30/06 Springfield	5	375 Ultra Magnum	1	38 Long Colt
10	220 Swift	5	6.5 Rem. Magnum	5	300 H & H	5	375 Ruger	1	38 Special · 357 Mag
4	221 Fireball	2	6.5 Carcano	5	300 Weatherby	14	38/40 Win.	19	357 Sig
4	222 Remington	12	6.5 Grendel	5	300 Win Magnum	3	38/55 Winchester		
4	222 Rem. Magnum	5	264 Win. Magnum	5	300 Ultra Magnum	8	40/82 Winchester	2	357 Auto Magnum
4	223 (5.56mm)	5	26 Nosler	5	300 Win S Magnum	5	416 Remington	19	40 S&W · 10mm Auto
5	223 WSSM	21	6.8 SPC	5	308 Norma Magnum	25	416 Rigby	1	41 Long Colt
2	224 Clark (22/257)	2	270 Winchester	5	303 British	18	43 Mauser	19	41 Action Express
21	224 Valkyrie	5	270 Weatherby	2	7.7 Japanese	17	43 Spanish	9	41 Magnum
10	225 Winchester	5	270 Win S Mag	3	32 Win. Spc'l	14	44/40	11	44 S&W Spl · 44 Mag
2	22/250	2	280 Remington	3	32 Win. S.L.	11	444 Marlin	11	44 S & W Russian
2	240 Weatherby	2	7mm/08	6	32/20 (32 W.C.F.)	8	45/70 Gov't	2	44 Auto Mag.
2	243 Win.	2	7mm BR	3	32/40 Winchester	2	450 Bushmaster	2	45 Auto
5	243 WSSM	4	7mm TCU	2	8 x 57 Mauser	5	458 Win. Magnum	11&14	45 Colt
2	6mm Remington	3	7 x 30 Waters	2	8mm 06	HOLDER	PISTOL		45 Schofield
2	244 Remington	2&10	7 x 57mm Mauser	2	8mm Man. Schoe.	15	5.7 x 28	14	
2	6mm Int'l	5	7 x 61 Sharpe & Hart	5	8mm Rem. Magnum	1	22 Rem. Jet	11	454 Casull
2	6mm/284	5	7mm Rem. Magnum	17	8mm Lebel	15	25 ACP	14	460 S&W
2	6mm/06	5	7mm Win S Mag	16	8x56R Hungarian	1	256 Win. Magnum	5	455 Webley
12	6 PPC	5	7mm Weatherby	8	33 Winchester	19	30 Luger	13	45 Auto Rim
4	6 x 47 (6mm/222M)	5	7mm Ultra Mag	25	338 Lapua	19	30 Mauser	3	45 Win. Magnum
2	25/284	2	284 Winchester	5	338 Win. Magnum	4	32 Short Colt	5&16	480 Ruger
5	25/303	3 7	7.5mm Schmidt-Rubin	5	338 Ultra Magnum	4	32 Long Colt	5	475 Linebaugh
2	25/06		30 M 1 Carbine	5	340 Weatherby 348 Win.	4	32 S & W	16	500 S&W
6	25/20 Winchester	3	7.65x53 Arg. Mauser	8	348 Win.	4	32 S & W Long	10	300 38.44



INCLUDES THE **NEW** POWDER MEASURE BOTTLE ADAPTER

DELUXE PERFECT POWDER MEASURE

QUALITY CONSTRUCTION

This powder measure features a high pressure die cast, diamond-machined body. The precision-machined rotor drum is cast from brass, which is naturally anti-static and spark proof.

ELIMINATES CUT POWDER AND JERKY ACTION

A soft elastomer wiper strikes off the metering chamber rather than cut the powder. You'll be surprised at how smoothly the rotor operates. More importantly, you will enjoy the most uniform of charges.

EASY TO SET & READ MICROMETER METERING

CHAMBER Powder charge adjustment is accomplished with a true micrometer adjustable metering chamber. The metering chamber is aluminum with a black anodized finish. Features a crisp, permanent, laser engraved scale. The brass micrometer thimble is engraved with .01cc graduations and has a releasable detent lock. With most rifle powders each click is about a 1/10 of a grain, perfect for working up a load.

CHANGING POWDER IS FAST AND EASY

Features easily removable hopper with an on/off valve so you can quickly return unused powder to its original container or switch to another type. The hopper feeds to a pre-measuring chamber allowing precise charges regardless of the powder level in the hopper, eliminates the need for an extra powder baffle.

QUICK CHANGE DRUMS

One of the nicest features is the ability to use the new Lee standard quick-change drums (product # 90453). These low cost drums can be preset to your favorite charge and swapped out in seconds.

DELUXE PERFECT POWDER MEASURE

92.00

90699



Lee Safety Scale

Safety and accuracy are the most important features

This is the only scale that can never get out of adjustment. The beam is made from a very tough phenolic, the same type material used on table and counter tops. Phenolic is tough but, like glass, it can't be bent. Even if dropped you can feel confident that if it did not break it is still accurate. Sensitive and readable to 1/20 grain.

90681 46.98

READ THIS if you already have a combination bullet and powder scale

Try this simple test to see how sensitive your scale really is. Cut a piece of regular writing paper or this catalog 5/16 inch square. With scale set on zero — drop the paper on the pan to see if it moves. It

should read about .1 grain. Keep adding paper squares until it does move. The total number of squares needed to move your scale is your scale's sensitivity. We have seen digital powder scales that are only sensitive to 1/2 grain (FIVE paper squares!) A Lee Safety Scale will move with the first paper.

PICTURED ON OPTIONAL STAND # 90587, SOLD SEPARATELY

NO POWDER MEASURE, REGARDLESS OF PRICE, HAS ALL THE FEATURES OF THE LEE DELUXE POWDER MEASURE

PERFECT FOR USE WITH THE DELUXE PERFECT POWDER MEASURE & AUTO-DRUM



QUICK CHANGE DRUM SET features four precision molded nylon drums. Two small capacity for cases as small as the 25 ACP, adjustable to 223 size rifle cases. Large capacity drums adjustable from 223 case to cases as large as the belted magnums. The large drums include an insert to allow reduced capacity charging like the small drum. All drums are infinitely adjustable within range. No tools required for adjustment. A graduated adjustment key is included with each drum. Each key is marked with .01cc graduations, allowing easy 1/10-grain powder adjustments.

Quick Change Drum Set 90453 20.00

POWDER MEASURE BOTTLE ADAPTER

POWDER MEASURE BOTTLE ADAPTER FITS ALL LEE POWDER MEASURES

Allows dispensing powder directly from the shipping container of most popular powder manufactures. Includes a crystal clear bottle that holds over a half a pound of ball powder. Works on all of these and many more.

(53mm or 43mm thread)
Dispensing powder directly from the bottle assures positive iden-

tification of the powder type.
Adapter is manufactured from

Polypropylene —resistant to attack from all sof powder. Now you can turn off the powde

types of powder. Now you can turn off the powder flow and store your powder in its original container with no fear of misidentifying or damage to your hopper from chemical attack. Viewing window allows monitoring powder level in use without removing bottle.

Bottle Adapter

91586

8.00

Powder Measure Stand

 ${\it Heavy, powder coated steel construction}$

7/8" mounting hole for all popular measures

Includes 3 no slip feet

Rock solid mount improves measure consistency

Space saving freestanding design is portable and convenient.

Works with other brands of powder measures
Powder Measure Stand 90587 55.00



Lee Powder Measure Kit

Fifteen uniformly graduated and proportioned powder dippers. Slide card shows the grains of powder each measure will dispense of every type of powder. Powder measures are inherently safe as they cannot get out of adjustment. That's why powder dippers continue to be the first choice of reloaders who load in small quantities.

90100 14.98



Powder Funnel

A large, unbreakable funnel that fits all cases from .22 to .45 caliber. Hole in flange permits mounting to the Lee Turret Press, shelf or bench.

90190 4.98

INCLUDES THE **NEW** POWDER MEASURE BOTTLE ADAPTER



The Original Perfect Powder Measure

Almost as good as a scale!

Solves problems common to ordinary drum type measures. Gives you the confidence that your charges will be the most uniform possible.

Lee Perfect Powder Measure

Includes many of the features of the Deluxe Perfect Powder Measure, but the body is molded from an engineering grade polymer. Rotating micrometer adjustable metering chamber and elastomer wiper to prevent powder cutting. Works better than other powder measures priced four times as much. 90058 30.98

FREE STURDY STEEL MOUNTING BRACKET
INCLUDED WITH EACH MEASURE

CHARGE CASES WHILE EXPANDING THE CASE MOUTH



"MODERN RELOADING" AND ALL POPULAR LEE DIE SETS INCLUDE LOAD DATA

Lee Pro Auto-Disk **Powder Measure**

Commercial reloaders or competitive shooters fin choice! Elastomer wiper and polytetrafluoroet ylene (PTFE) non-stick metal casting make this th smoothest operating measure. Large hopper wi integral shut-off valve makes changing powder disks super convenient. Brass thumbnuts attach hopper to the body so you can change disks witl tools. Rubber wiper and seal prevents powder shear and makes it more leak-resistant with fine-grain po ders. Increased safety with positive pull-back lev

The measure is attached to the die with a swive adapter, allowing easy positioning and quick remova when changing cartridges. Included positive pu back lever reduces the chance of double charge progressive reloading.

Lee Pro Auto-Disk Powder Measure INCLUDES ALL FOUR DISKS 90429 60.00

rst	
th-	
he	
ith	
or	
the	
h no	
ring	
ow-	
er. 🚽	
el 🦣	
al 👅	
III	
when	CORE III
	(9)

	20.00
	00
MEACH	<u> </u>

	PRO AUTO-DISK POWDER MEASURE
CARTRIDGE RANGE	9 MM TO 45 COLT
USE	IDEAL FOR HANDGUN
SIMPLE SET UP	NOTHING TO ADJUST, NOTHING TO GET OUT OF ADJUSTMENT USE LEE PUBLISHED LOAD DATA
CONSISTENCY	EXTREMELY CONSISTENT INCREMENTAL CHARGES
WIPER TO PREVENT POWDER SHEARING	YES
SWIVEL ADAPTER FOR FAST, EASY TRANSFER	YES
ON/OFF VALVE	YES

The Pro Auto-Disk comes with a complete set of four disks. disk has six cavities, so you get 24 cavities in all. The chart included on the rear of the instruction sheet lists the capacity of each cavity with every type of powder. If you reduce your charge 10% you can safely use this data without weighing your charge. Fixed cavities are the safest way to meter powder because they can't be misadjusted or get out of adjustment.

PRO AUTO-DISK ACCESORIES



Adjustable Charge Bar

Infinitely adjustable between .28 and 1.6 cc. Lifetime nylon with solid brass, zero backlash micrometer. Easy to set.

Adjustable Charge Bar 90792 9.98

Double Disk Kit (not pictured)

This kit raises the hopper so you can stack two disks. Not only doubles the capacity of the disks but it makes very fine adjustments possible. Most powders can be adjusted up or down .1 grain with different combinations of disks. Complete listing of combinations, 4 extra disks, screws and risers are included.

Lee Double Disk Kit 90195 14.98

Lee Rifle **Charging Die Kit**

Short and Long Charging Dies are included. These dies work the same as the pistol powder through expanding dies, except they do not expand the case mouth. Rifle case expansion is done in the sizing die. Can be used on 22 caliber, and up to the largest belted magnums.

Charging Die kit 90995 29.00

SHORT CHARGING DIE 22 HORNET TO 223 REM 90668 16.98

LONG CHARGING DIE 223 REM TO 300 WIN MAG 90194 16.98

Automatic case actuated drum powder measure. Accurately and automatically dispense powder in your favorite cartridge. Two infinitely adjustable drums included. Quick Change drums will accurately and reliably drop charges from 1 to 80 grains of powder.

INCLUDES THE **NEW** POWDER MEASURE BOTTLE ADAPTER

Case actuated; never spill a charge.

Exclusive elastomer wiper prevents powder shearing, works great with difficult metering extruded powders.

Machined body with labyrinth groove mates to precision molded nylon drums providing leak free fit with the finest powders.

Drum is actuated by a steel sector and pinion gear train.

Quick-change hopper has on/off valve Sleek modern design, all gears springs and levers inside the die cast housing.

Same swivel adapter as our famous Pro Auto-Disk powder measure. Makes moving measure fast and convenient.

HANDGUN AND RIFLE DRUMS INCLUDED.

AUTO-DRUM POWDER MEASURE

90811 55.00

33.00					
	AUTO-DRUM POWDER MEASURE				
CARTRIDGE RANGE	25 AUTO TO 300 WIN MAG				
USE	IDEAL FOR BOTH HANDGUN AND RIFLE				
ADJUSTABILITY	INFINITELY ADJUSTABLE WITH INCLUDED SMALL AND LARGE QUICK CHANGE DRUMS				
CONSISTENCY	EXTREMELY CONSISTENT .01 CC INCREMENTAL CHARGE ADJUSTMENT				
WIPER TO PREVENT POWDER SHEARING	YES				
SWIVEL ADAPTER FOR FAST, EASY TRANSFER	YES				
ON/OFF VALVE	YES				



Powder Measure
Riser

Installs between the Lee
Powder through Expanding
Die or Rifle Charging Die and
Powder Measure. Allows
convenient use of other
brands of dies that have
extended adjusting screws
and provides clearance for

NOTE Pro Auto-Disk
and Auto-Drum Powder
Measures must be used
with the powder through
expanding die supplied wit the Lee Safety Prime.

> Powder Measure Riser 90041 9.98

> > **POWDER** EXPANDING DIF pg. 8

expanding die supplied with all Lee pistol dies, or Lee Rifle Charging Dies (see left). These dies may be purchased individually. Sizes listed on page 8.

Only Lee Dies permit charging the case while expanding the case mouth.







UNIQUE INFINITE HEAT CONTROL

A highly reliable control, mounted away from the high heat of the pot. Eliminates failures usually associated with thermostatically controlled units. Thermal feed back to the infinite control permits heater to put out full power until metal has melted.



Magnum Melter

Large 4" diameter pot allows easy access for the ladle caster. Same high efficiency design that has made Lee pots the most popular. Melt time is less than 20 minutes with just 700 watts. 20-lb. capacity for the longest casting session.

Magnum Melter 110 Volt 90949 93.00

Large diameter high capacity pot, holds approximately 20 pounds of lead. Nearly 4 inches of clearance under the spout accepts all brands of bullet molds and most sinker molds. It also includes an adjustable mold guide to quickly and accurately position any mold for pouring.

This second generation design incorporates the famous Lee patented high-efficiency design and dependable remote sensing thermostat, in a dust tight housing. Long life 700-watt tubular heating element assures quick melting and rapid recovery. Micro adjustable, flow control valve adjusts instantly with a twist of the screwdriver. Front mounted low maintenance replaceable valve spout allows instant reseating with a turn of a screwdriver.

LEE PRO 4-20 90947 110 Volt 120.00 EXPORT MODEL 90948 220 Volt 126.00



MAKES BULLET CASTING EASIER



Lee Precision Melter

High speed melter with an infinite heat control for the budget caster. Easily handles 4-cavity molds. Takes less than 15 minutes to melt 4 pounds of metal. Same infinite heat control as used on the Production Pot. 500 watts AC only. Guaranteed 2 years.

PRECISION MELTER, 110V EXPORT MODEL, 220V 90021 70.98 90024 74.98

LEE MOLD MALLET

Features ash hardwood construction.
Cut the sprue and release the bullets
with one handy tool. Ergonomic design
makes it convenient and comfortable to
use with long casting sessions. Mallet is
10 inches long.

90084 **10.00**



Large, deep pot holds approximately 10 pounds of lead. Melt time is less than 20 minutes. Pour spout up front where it belongs so you can see what you're doing. Infinite heat control. Uses only 500 watts of power during heat-up and a lot less to maintain temperature. Large, stable base for safety. 4" of clearance under the spout is high enough to accept all brands of bullet molds and most sinker molds.

PRODUCTION POT IV EXPORT MODEL

110 VOLT 90 220 VOLT 90

90009 **106.98** 90008 **110.98**

LEE INGOT MOLD

Use to cast 1/2 and one pound ingots. Perfect for remelting and alloying. Wood handles stay cool. Aluminum mold is lightweight and rustproof.

90029 24.98

LEE LEAD LADLE

A convenient size ladle for bullet casting.

Works equally well for right and left handers.

Handy for skimming and stirring metal.

90026 8.98



WARNING Melting lead and casting lead objects will expose you and others in the area to lead, which is known to the State of California to cause reproductive harm and cancer. For more information, www.P65Warnings.ca.gov. See instructions on REDUCING EXPOSURE supplied with product.

BREECH LOCK SIZING

Bullet Sizer and Punch 12.00



Compact bullet sizer made from high carbon steel. The bore is specially tapered to reduce sizing effort. Most important, taper gently and precisely reduces bullet to the correct diameter. It never damages

your powder or liquid coating by shaving.

The punch snaps into any reloading press shell holder slot. The steel punch pushes on the base of the bullet so there is no possibility of nose distortion. Plus, the nose first sizing allows gas checks to be seated and crimped in one operation.

BE SURE TO ORDER THE BREECH LOCK KIT TO SUIT YOUR NEEDS

DIA.		DIA.		DIA.	
.224	91505	.323	91515	.430	91525
.225	91506	.329	91516	.451	91526
.243	91507	.339	91517	.452	91527
.278	91508	.356	91518	.454	91528
.284	91509	.357	91519	.457	91529
.285	91510	.358	91520	.458	91591
.308	91511	.401	91521	.459	91616
.309	91512	.410	91522	.460	91592
.311	91513	.427	91523	.501	91530
.314	91514	.429	91524	.510	91531



Works in any Breech Lock Press Uses inexpensive bullet sizer and punch.

Great for the casual reloader

INCLUDES BOTTLE that holds 100

bullets. Adapter also fits most powder containers for larger capacity.

Breech Lock
Bullet Sizing Kit
91532 20.00





Kit contains everything you need to use the Bullet sizer and punch with the Lee Inline Bullet Feed magazine. Now you can size bullets and simultaneously fill the Lee Gatling style magazine feeder. The system works so well—once your bullet is sized you will never touch it again. Simply transfer filled magazine

to press and start loading. Includes small, medium & large magazines with matching drop tubes and supports, Breech Lock bullet sizer and special adapter. Works with .220 to .463 diameter bullets. Order bullet sizers and punches at left. Use QR code to see expanded list of sizes.

Inline Bullet Sizer Magazine Filler Kit

92019 65.00












Classic Bullet Sizing Kit



NOTE ALL BULLETS MUST BE LUBRICATED OR POWDER COATED FOR SIZING, ORDER LEE LIQUID ALOX BELOW

Other sizes can be made on a custom basis. Scan QR code for details.

DIA.		DIA.		DIA.	
.224	90049	.329	90934	.451	90061
.225	90036	.339	90576	.452	90055
.243	90083	.356	90046	.454	90056
.278	90261	.357	90047	.457	90057
.284	90170	.358	90048	.458	91682
.285	90171	.376	91856	.459	91672
.308	90037	.401	90060	.460	91829
.309	90038	.410	90052	.501	90191
.311	90039	.427	90053	.510	90188
.314	90044	.429	90054		
.323	90686	430	90062		





Lee Liquid Alox

Lee Liquid Alox gives better accuracy because it eliminates leading. The lube coats the entire bullet like a thin jacket and dries to a soft, varnish-like finish that really clings. The dried coating does not degrade gunpowder. Easy to apply; eliminates the need for sizing of most cast bullets. While it works well with all cast or swaged bullets better than any other lube, it works most ecomonically with micro band bullets, which are designed for tumble lubing.

4 OZ. DISPENSER BOTTLE 90177

Enough for thousands of bullets



The bullet melts while the Lee Liquid Alox clings tenaciously to the bullet Traditional bullet lubricating methods of placing lube only in the grooves are inferior to the modern method of coating the entire bullet with Lee Liquid Alox. This places the lube where needed, on the surfaces that rub against the bore.



Gently shake bullets in an orbital motion to coat the bullets. If they do not coat completely, add a little more lube.



Spread bullets onto waxed paper and let dry overnight.



Universal Case Expanding Die

Gently flares the case mouth to accept cast bullets without shaving. Works great to prevent damaging the moly and low friction coatings found on today's high performance jacketed bullets. Includes neck plugs for .22 cal through .45 cal. Works on everything from the 22 Hornet to the largest Ultra Mag. Costs so little and works so well you can't afford to be without one.

90798 18.00

Hardness Testing Kit

Featured product in Chapter 10 "Modern Reloading." No more wasted components shooting too soft or too hard lead. Cast and load with confidence knowing your alloy is up to the job. Quickly and precisely check hardness of your lead alloy. Exclusive conversion chart tells the maximum operating pressure of any lead alloy.

90924 99.00 INCLUDES



CALIBRATED HARDENED STEEL BALL INDENTER
V" BLOCK CRADLE SNAPS INTO STANDARD PRESS RAM
20 POWER 4 LENS OPTICAL MEASURING MICROSCOPE

TRADITIONAL GROOVE

This type of lubrication groove is



GAS CHECK TL Micro Band

DIAMETER

WEIGHT

POINT SHAPE

WC WAD CUTTER SWC SEMIWAD CUTTER RF ROUND WITH FLAT

R 1 OGIVE RADIUS 2 OGIVE RADIUS TC TRUNCATED CONE



LEE MOLD BLOCKS MADE FROM ALUMINUM BECAUSE OF THE EXCEPTIONAL MOLDING QUALITIES

MOLD CAVITIES CNC-MACHINED FOR UNMATCHED ROUNDNESS AND **SIZE CONTROL**

MOST BULLETS FROM LEE MOLDS CAN BE USED AS CAST WITHOUT SIZING



designed for old style hard lubricants. Also works well with Lee Liquid Alox.

MICRO BAND GROOVE FOR LIQUID ALOX #90177

The reduced friction of the micro bands allow a higher velocity with the same pressure as conventional lube grooves.

DOUBLE CAVITY MOLDS

Handles and sprue plate included.

44.98

27.98

HOLLOW BASE MOLDS

These are available in single cavity only. They have self centering automatic core pins for the fastest possible molding. Handles and sprue plate included.

SIX CAVITY COMMERCIAL QUALITY MOLDS

These are made for heavy duty volume production. The mold blocks have steel bushing and alignment pins for lasting precision. Price includes a cam operated sprue plate to eliminate the pounding common to ordinary molds. The sprue plate is hard anodized and held down with wave washers at each end. No finer mold can be purchased at any price. Handles extra. 65.00

MOLD HANDLES

Precision steel mold handles fit not only the Lee Six Cavity molds and 18 Cavity Buckshot molds, but most other brands of one and two cavity molds. Priced low enough so you can have a set for every pair of blocks.

90005

MICRO BANDS USUALLY REQUIRE NO SIZING

The bullet shank has many shallow grooves for maximum liquid lubricant retention. A great way to make bullets in quantity with minimum time, effort and equipment. More accurate than ordinary cast bullets. The reduced friction of the micro bands gives you more velocity with less pressure.



BALLISTIC COEFFICIENT	.216	.361	.250	.186	.250	.211	.225	.250	.250	.278	.443	.220	.283
MOLD	C324-175-1R	C330-205-1R	C338-220-1R	C358-200-RF	379-250-RF	457-340-F	457-405-F	459-405-HB	457-450-F	C457-500-F	459-500-3R	515-450-F	515-500-F
DOUBLE	90274	90775	90372	90449	90324	90373	90374		90375	90376	90577	90255	90266
6 CAVITY				90016									
HOLLOW								90268					
LUBE & SIZE	90686	custom	90576	90048	custom	90057	90057	custom	90057	90057	custom	custom	custom
BL BULLET SIZER	91515	custom	91517	91520	custom	91529	91529	custom	91529	91529	custom	custom	custom



TROCHOIDAL VENTING

Unique venting on the mold face and sprue plate mating surface allows consistent and effortless fill out.





S

44 SPEC • 44 MAG • 44/40

41 MAGNUM

	32/20 · 3	2S&W LONG	32 COLT NP			38 SPEC	IAL • 38 S	& W • 38	COLT NEW	POLICE .	357 MAG		
				WORKS GREAT IN 9MM LUGER									
BALLISTIC COEFFICIENT	.125	.174	.100	.106	.116	.142	.072	.072	.131	.117	.117	.207	.160
MOLD	311-93-1R	311-100-2R	TL314-90-SWC	358-105-SWC	358-125-RF	358-140-SWC	TL358-148-WC	358-148-WC	358-150-1R	TL358-158-SWC	C358-158-SWC	TL358-158-2R	358-158-RF
DOUBLE	90300	90301	90311	90316	90574	90318	90279	90312	90328	90321	90322	90388	90303
6 CAVITY	90308			90315	90306	90317	90294	90380	90326	90295	90327	90319	90692
LUBE&SIZE	90039	90039	90044	90048	90048	90048	90048	90048	90048	90048	90048	90048	90048
BL BULLET SIZER	91513	91513	91514	91520	91520	91520	91520	91520	91520	91520	91520	91520	91520

9mm MAKAROV

40 S&W • 10 MM AUTO

BALLISTIC COEFFICIENT	.107	.105	.123	.164	.127	.166	.093	.117	.141	.141	.110	.119	.111	.124
MOLD	TL356-95-RF	356-102-1R	356-120-TC	TL356-124-2R	TL356-124-TC	356-125-2R	365-95-1R	401-145-SWC	TL401-175-WC	401-175-TC	410-195-SWC	TL410-210-SWC	429-214-SWC	C429-240-SWC
DOUBLE	90601	90305	90239	90464	90238	90309	90466	90470	90431	90256	90330	90335	90336	90338
6 CAVITY	90672		90387	90465	90402	90457			90433	90690				90483
LUBE&SIZE	90046	90046	90046	90046	90046	90046	custom	90060	90060	90060	90052	90052	90054	90054
BL BULLET SIZER	91518	91518	91518	91518	91518	91518	custom	91521	91521	91521	91522	91522	91524	91524

BALLISTIC COEFFICIENT	.124	.196	.169	.218	.090	.127	.140	.127	.145	.189	.146	.146
MOLD	429-200-RF	429-240-2R	TL430-240-SWC	C430-310-RF	452-160-RF	452-200-SWC	452-200-RF	TL452-200-SWC	452-228-1R	TL452-230-2R	TL452-230-TC	452-230-TC
DOUBLE	90285	90341	90299	90858	90570	90348	90234	90463	90351	90346	90287	90290
6 CAVITY	90428	90339	90357	90227		90310	90697	90379	90352	90350	90286	90289
LUBE&SIZE	90054	90054	90062	90062	90055	90055	90055	90055	90055	90055	90055	90055
BL BULLET SIZER	91524	91524	91525	91525	91527	91527	91527	91527	91527	91527	91527	91527
	1											

SIZER	91524	91524	91525	91525	91527	91
	45 ACP 45 AUTO RIM 45 COLT		45 COLT 454 CASULL	475 LINEBAUGI	500 S&	w
BALLISTIC COEFFICIENT	.136	.210	.233	.271	.296	
MOLD	452-252-SWC	452-255-RF	C452-300-RF	476-400-RF	C501-440-	-RF
DOUBLE	90356	90358	90359	90241	90991	L
6 CAVITY		90349	90228			
LUBE&SIZE	90055	90055	90055	custom	90191	L
BL BULLET SIZER	91527	91527	91527	custom	91530)

9MM LUGER • 38 SUPER AUTO • 380 AUTO

44 SPECIAL • 44 MAGNUM • 44/40

CUSTOM MOLDS We can produce custom bullet molds within certain limits. The prices are the same as our standard molds, but there is a tooling and set-up charge. If interested in this service, please access design assistance sheet on www.leeprecision.com. This outlines the basic limitations of our manufacturing process.

45 ACP • 45 AUTO RIM • 45 COLT

https://leeprecision.com/files/instruct/ MoldDesignAssistance.pdf





WARNING Melting lead and casting lead objects will expose you and others in the area to lead, which is known to the State of California to cause reproductive harm and cancer. For more information, www.P65Warnings.ca.gov. See instructions on REDUCING EXPOSURE supplied with product.





Cast Minie Bullets as fast as Round Balls

Improved Minie, Traditional Design

45 Cal.	.450-294M	90467
45 Cal. oversize	.454-298M	90469
50 Cal.	.500-360M	90472
54 Cal.	.533-410M	90473
54 Cal. oversize	.540-415M	90474
58 cal.	.575-472M	90476
58 cal. oversize	.578-478M	90478

Improved design is easier to cast and load. Usually more accurate; a wider variety of sizes.



Modern Minie, Target Design

50 Cal.	.500-354M	90471

The most accurate of all Minies. Makes nice, clean holes in the target. The first choice for highest scores.



Original Style Minie Bullet

58 Caliber	575-500M	90481

An extremely popular, traditional size Minie bullet. Available in 58 caliber only. Certainly a must for authentic muzzle loading shooting.



Round Ball Molds

cast 200 per hour. A quality mold built to last as long as your rifle. COMPLETE w/ HANDLES and AUTOMATIC CORE PIN 55.98

> Have tangential cut off which eliminates the objectional nib at the sprue.

Automatic Core Pin Mold. Open mold upside down to empty. Close it and you're

ready to cast the next. The core pin automatically centers in the mold. Easily

DOUBLE CAVITY WITH HANDLES 6-CAVITY WITHout HANDLES

44.98 65.00

SIZE	DOUBLE	SIZE	DOUBLE	SIZE	DOUBLE
.311	90406	.440	90436	.535	90456
.319	90410	.445	90438	.562	90460
.350	90415	.451	90440	.575	90461
.360	90418	.454	90442	.600	90975
.375	90420	.457	90444	SIZE	SINGLE
.380	90423	.490	90448	.690	90978*
.390	90424	.495	90450	*Due to the diameter, mold ships as a single cavity.	
.395	90425	.500	90452	SIZE	6 CAVITY
.433	90432	.530	90283	.490	91711▲

▲ Handles #90005 27.98



RIFLING · ENGRAVED · AT · LOADING

A solid bullet that loads easily even after many firings because of its unique cleaning action. Will not tumble. A perfect hunting bullet with heavy loads. Easy to cast. Shoots accurately even in greatly oversize barrels.

DOUBLE CAVITY WITH HANDLES

45 Cal.	200	90390
45 Cal.	250	90392
50 Cal.	250	90394
50 Cal.	320	90396
54 Cal.	300	90398
54 Cal.	380	90400
58 Cal.	440	90404

Grains

Double



Combo Molds

45 CAL 200RB with Handles 90405 44.98

Double cavity mold casts one 45 Cal. 200 R·E·A·L bullet and one .440 diameter Round Ball.

50 CAL 320RB with Handles

90488

44.98

Double cavity mold casts one 50 Cal. 320 R·E·A·L bullet and one .490 diameter Round Ball.

RIFLING-ENGRAVED-AT-LOADING

The driving bands are large enough to adequately engage the rifling when pushed into the muzzle, and thin enough to easily engrave. They're strong enough to withstand maximum charges without stripping or gas cutting.

UNIQUE CLEANING ACTION You can shoot all day without cleaning your rifle between shots! When inserted into the muzzle, tiny scraping edges are swagged forward on each driving band. These perfect fitting scrapers remove the fouling from the previous

EASIER, FASTER TO LOAD It's

easy to load straight and true, easier and faster than a round ball with patch. Easily stabilized with very light charges, the R·E·A·L bullet also retains accuracy with maximum loads. Each band is generously tapered to the rear with an angle close to that of a lathe center, so as to center the bullet against the rifle bands. When pushed in, the bullet automatically centers in the bore.

MORE ACCURATE The bevel base of the R·E·A·L bullet contributes to greater accuracy. When the bullet exits the bore, the gas escapes equally around the perimeter of the base. The uniform bevel is resistant to nicks that would permit gas to escape prematurely and cause a jet effect on one side of the bullet.



FOR BLACK POWDER REVOLVERS

A super accurate bullet that is easy to load straight and true. Two lube grooves prevent flash ignition and lead fouling. More energy and far greater accuracy than round balls. 44.98

90378

36 Cal. 375-130-1R 44 Cal. Rem. 450-200-1R 90382 44 Ruger Old Army 456-220-1R 90384



WARNING Melting lead and casting lead objects will expose you and others in the area to lead, which is known to the State of California to cause reproductive harm and cancer. For more information, www.P65Warnings.ca.gov. See instructions on REDUCING EXPOSURE supplied with product.



Lee Slug Mold features the exclusive drive key. The drive key positively rotates the slug in rifled shotgun barrels and doubles as a support rib allowing use of a standard trap wad—no need for a support wad or base filler. Sabot wad design outperforms rifled slugs in rifled slug barrels. Velocity and accuracy meet and exceed expensive factory loaded rifled slugs. Molds feature self centering automatic core pins for maximum speed and convenience. Mold is complete with sprue plate, handles and complete instructions with suggested loads.

12 ga.

shot shell reloading press.

Shotgun Slug Mold 7/8 oz. 12 ga. **EXCLUSIVE DRIVE KEY POSITIVELY ROTATES** THE SLUG IN RIFLED BARRELS AND

Shotgun Slug Mold

ELIMINATES THE NEED FOR SUPPORT WADS OR BASE FILLERS; ASSURES POSITIVE AND SMOOTH DISCARD OF THE SABOT WAD.

1 oz.



90281

90282



55.98

55.98

GUARANTEED MORE ACCURATE than factory slugs or your money back





Lee 18 Cavity Buckshot Bullet Molds

Precision-machined molds produce 18 linked pellets per cast. Each cast produces enough pellets to load two 12 Gauge shotshells. Easily cast 3,000 pellets per hour. Handles shown not included. Order product No. 90005 on page 36.

100
192
)486
0028 77.00
)

WARNING Melting lead and casting lead objects will expose you and others in the area to lead, which is known to the State of California to cause reproductive harm and cancer. For more information, www.P65Warnings.ca.gov. See instructions on REDUCING EXPOSURE supplied with product.



Lee Load-All II

Lee Load-All II shotgun shells not only look better than those loaded on machines costing hundreds of dollars, but they usually have more uniform velocity and patterns. You can load just as fast as with any other brand of loader costing up to \$200.

Twenty-four shot and powder bushings are included free. The bushings alone can cost several dollars each from other manufacturers- and they're not as accurate as those made by Lee. Only Lee supplies molded bushings.

This is a time proven tool. There are hundreds of thousands in use world wide: in nearly forty years, we have yet to see one worn out. Written two-year unconditional guarantee and a lifetime warranty.

Lee Load-All II 93.98

12 GAUGE 90011 90015 16 GAUGE 20 GAUGE 90012



Load-All Options

Conversion To Another Gauge

The Load-All II can be easily and economically converted to another gauge with the conversion kit. The entire die carrier is replaced so no adjustments are needed. The conversion kit includes the die carrier, steel sizer, wad guide, shell holder, load data and instructions.

CONVERSION KIT 29.98 12 GAUGE 90070 **16 GAUGE** 90071 20 GAUGE 90072

Lee Adjustable Shot Dipper

Accurately measure lead, bismuth and steel. Telescoping cup adjustable from $\frac{7}{8}$ to $\frac{17}{8}$ oz. Calibrated for lead shot. Works perfect for large pellet sizes. With steel, simply count out the pellets or weigh and set dipper accordingly.

90973 3.98

LEGACY PRODUCTS

AFTER 30+ YEARS OF PRODUCTION, THE LEE LOAD-MASTER HAS BEEN MOVED TO LEGACY STATUS.

> WE HAVE PRODUCTS STILL AVAILABLE FOR THESE TOOLS:

LOAD-MASTER 5-HOLE TURRET 90079



LOAD-MASTER PRIMER SHIELD 90363



PRE-2023 PRO 1000 PRIMING ATTACHMENT



PRE-2023 PRO 1000 TURRET PRESS 3-HOLE TURRET 90497



LEE LOADMASTER PRIMER FEEDERS





LOAD-MASTER SHELL PLATES

PLATE	CARTRIDGES
2L	45 ACP, 30/06, 308, 6.5 CREEDMOOR
45	222, 223, 380 ACP
65	32/20, 25/20, ETC.
9L	41 MAGNUM
10L	220 SWIFT, 6.5 JAP, 458 SOCOM
12L	7.62X39, 6MM PPC, 22 PPC, ETC.
14L	44/40, 38/40, 45 COLT, 460 S&W
16L	500 S&W, 7.62X54R
195	9MM LUGER, 40 S&W, 38 SUPER, ETC.
19L	10MM AUTO
21L	6.8 REM SPC, 224 VALKYRIE
	2L 4S 6S 9L 10L 12L 14L 16L 19S 19L

The Lee Guarantee

LEE RELOADING PRODUCTS are guaranteed not to wear out or break from normal use for two full years or they will be repaired or replaced at no charge, if returned to the factory. Any **LEE PRODUCT** of current manufacture, regardless of age or condition, will be reconditioned to new—including new guarantee—if returned to the factory with payment equal to half the current retail price

AUTO BENCH PRIME | AUTO BREECH LOCK PRO | AUTO-DRUM | BREECH LOCK | CLASSIC CAST LOAD-MASTER | LEVER PRIME SYSTEM | LEE LOADER | LOAD-ALL II | RGB FACTORY CRIMP | PACESETTER | PERFECT POWDER MEASURE | SAFETY SCALE | AUTO-PRIME BULGE BUSTER | MICRO-BAND DRIVE KEY | R-E-A-L | ARE TRADEMARKS OF LEE PRECISION, INC.

LEE PRECISION, INC.

www.leeprecision.com