

according to 1907/2006/EC, Article 31

Page **1/6**Printing date 14.10.2020
Revision: 14.10.2020

Version number 1

Trade name: Flitz Tumbler Media Additive

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Flitz Tumbler Media Additive
- · Product Identification Numbers
- · ID Numbers TA04885, TA04806, GL04510
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use:

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Application of the substance / the mixture: Polishing agent / Burnishing compound / Cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:
- · MANUFACTURER Flitz International Ltd.
- · ADDRESS: 821 Mohr Ave., Waterford, WI 53185, USA
- · Telephone: 262-534-5898
- · 1.4 Emergency telephone number: 262-534-5898

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction

- · 2.2 Label elements
- Labelling according to Regulation (EC) No1272/2008

 The product is classified according to the CLP regulation.
- · Hazard pictograms



GHS07

· Signal word: Warning

· Hazard-determining components of labelling:

2-methyl-2H-isothiazol-3-one

· Hazard statements:

H317 May cause an allergic skin reaction.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/(inter-)national regulations.

· Additional information:

Keep out of reach of children.



according to 1907/2006/EC, Article 31

Printing date 14.10.2020 Revision: 14.10.2020

Version number 1

Page **2/6**

Trade name: Flitz Tumbler Media Additive

· 2.3 Other hazards

· Results of PBT and vPvBassessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- **Description:** Mixture of substances listed below with non-hazardous additions.

Dangerous components:		
EC number: 918-481-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics,	10-20%
Reg. nr.: 01-2119457273-39-xxxx	<2% aromatics	
CAS: 64742-48-9	Asp. Tox. 1, H304	
CAS: 2682-20-4	2-methyl-2H-isothiazol-3-one	≤1%
EINECS: 220-239-6	Acute Tox.3, H301; Acute Tox.3, H311; Acute Tox.2,	
	H330; Skin Corr. 1B, H314; Eye Dam. 1, H318;	
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; \$\frac{\psi}{2}\$ Skin	
	Sens. 1A, H317	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; call for a doctor. In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinsethoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Rinse out mouth and then drink plenty of water.
- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight large fire with alcohol resistant foam
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information: Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures:

Particularly danger of slipping on leaked/spilled product.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.



according to 1907/2006/EC, Article 31

Printing date 14.10.2020 Revision: 14.10.2020

Version number 1

Page **3/6**

Trade name: Flitz Tumbler Media Additive

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling:** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep containertightly sealed.
- · Storage class: 10
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

EU HSPA: Long term value: 1200mg/m³

Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

- **Respiratory protection:** Not necessary if room is well-ventilated. In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- · Protection of hands:



Protective gloves

The glove materials must be impermeable & resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Natural rubber, NR

Recommended thickness of the material: ≥ 0.5 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.



according to 1907/2006/EC, Article 31

Printing date 14.10.2020 Revision: 14.10.2020

Version number 1

Page 4/6

Trade name: Flitz Tumbler Media Additive

· Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time must be at least 480 minutes (Permeation according to EN 374 Part 3: Level 6). The exact break through time must be found out by the manufacturer of the protective gloves and must be observed.

· Eye protection:



Goggles recommended during refilling

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and che	mical properties	
· General Information:	modi proportios	
· Appearance:		
Form:	Viscous	
Color:	Green	
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value at 20 °C:	8.5	
· Change in condition:		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	100 °C	
· Flash point:	>65 °C	
· Flammability (solid, gas):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Product is not self-igniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not determined.	
· Density at 20 °C:	1.13 g/cm ³	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
Solubility in / Miscibility withwater:	Partly miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic: Kinematic at 40 °C:	Not determined.	

^{• 9.2} Other information: No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.



according to 1907/2006/EC, Article 31

Printing date 14.10.2020 Revision: 14.10.2020 Version number 1

Page **5/6**

Trade name: Flitz Tumbler Media Additive

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:				
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics				
Oral	LD50	>5,000 mg/kg (rat)		
Dermal	LD50	>5,000 mg/kg (rabbit)		
Inhalative	LC50	(4 h) 4,951 mg/l (rat)		

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · CMR effects (carcinogenetic, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-singleexposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity:		
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics		
EC50	>1,000 mg/l (daphnia)	
LC50 (96 h)	>1,000 mg/l (Oncorhynchus mykiss)	

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bio accumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvBassessment:
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects: No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- **Recommendation**: Must not be disposed together with household garbage. Do not allow product to reach sewage system
- European waste catalogue: 07 06 04* other organic solvents, washing liquids and mother liquors
- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.



according to 1907/2006/EC, Article 31

Printing date 14.10.2020 Revision: 14.10.2020

Version number 1

Page **6/6**

Trade name: Flitz Tumbler Media Additive

SECTION 14: Transport information

- 14.1 UN-Number: ADR, ADN, IMDG, IATA: Void
- 14.2 UN proper shipping name: ADR, ADN, IMDG, IATA: Void
- · 14.3 Transport hazard class(es): ADR, ADN, IMDG, IATA Class: Void
- · 14.4 Packing group: ADR, IMDG, IATA: Void
- · 14.5 Environmental hazards: Marine pollutant: No
- 14.6 Special precautions for user: Not applicable.
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code: Not applicable.

UN "Model Regulation": Void

SECTION 15: Regulatory information

· 15.1 Safety, health & environmental regulations/legislation specific for the substance / mixture Directive 2012/18/EU

VOC Guideline: VOC: 16%

Named dangerous substances - ANNEX I: None of the ingredients is listed. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301 Toxic if swallowed.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

ADR: Accord Européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IA TA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

VOC: Volatile Organic Compounds

PBT: Persistent, Bio accumulative and Toxic

vPvB: very Persistent and very Bio accumulative

Acute Tox. 3: Acute toxicity - oral - Category 3

Acute Tox. 2: Acute toxicity - inhalation - Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Asp. Tox. 1: Aspiration hazard - Category 1

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitization – Category 1 Skin Sens. 1A: Skin sensitization – Category 1A